Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



THE INSECT PEST SURVEY

BULLETIN



Volume 19

1939

Index

BUREAU OF

ENTOMOLOGY AND PLANT QUARANTINE
UNITED STATES

DEPARTMENT OF AGRICULTURE

AND

THE STATE ENTOMOLOGICAL

AGENCIES COOPERATING



INSECT PEST SUPVEY BULLETIN

Vol. 19	1939		Index
		No.	Page
"Alfalfa weevil, spread in l	1939," article by J. C. Hamlin	- 8 (Sup.)	539-543
Bradley, W. G.: "The field European corn borer in t C. A. Clark		- 8 (Sup.)	527-534
June beetles in southern	tions and host preferences of Wisconsin in 1938." With	- 3 (Sup.)	103-109
Chamberlin, T. R. : "Populat June beetles in southern	tions and host preferences of wisconsin in 1938." With		
Clark, C. A.: "The field st European corn borer in t			
	e in 1933, estimates, and timates," article by A. M.	- 8 (Sup.)	535-538
fall of 1938," article 1	ites of, field status in the by \mathbb{W} . G. Bradley and C. A.	- 8 (Sup.)	527-534
	and host preferences of June consin in 1938." With others	- 3 (Sup.)	103-109
	distribution in the 1938 out Shotwell	- 4 (Sup.)	179-270
Hamlin, J. C.: "Spread of a	alfalfa wcevil in 1939."	- 8 (Sup.)	539-543
Insect Pest Survey, reporter	rs for 1939, list	- 1	1-5
	colonization in the Eastern e by J. L. King	- 1 (Sup.)	25 -2 8

	No.	Page
"June beetles, populations and host preferences in southern Wisconsin in 1938," article by T. R. Chamberlin and others	3 (Sup.)	103-109
King, J. L.: "Colonization of Japanese beetle parasites in the Eastern States in 1938."	1 (Sup.)	25-28
Mabry, Janet E.: "Distribution and food-plant records of Paratetranychus citri McG., P. ilicis McG., P. pilosus C. & F., Tetranychus pacificus McG., and T. telarius L." With Mary M. Walton	9 (Sup.)	. 539-602
Mites, Paratetranychus citri McG. and others, distribution and food-plant records of	9 (Sup.)	589-602
"Parasites, European corn borer, field status in the fall of 1938," article by W. G. Bradley and C. A. Clark	g (Sup.)	527-534
"Parasites, Japanese beetle, colonization in the Tastern States," article by J. L. King	1 (Sup.)	25-28
"Paratetranychus citri McG., P. ilicis McG., P. pilosus C. & F., Tetranychus pacificus McG., and T. telarius L., distribution and food-plant records of," article by Janet E. Mabry and Pary M. Walton	9 (Sup.)	589-602
Paratetranychus ilicis McG., distribution and food-plant records of	9 (Sup.)	590-591
Faratetranychus pilosus C. & F., distribution and food- plant records of	9 (Sup.)	591-593
Popillia japonica Newm., parasites of, colonization in the Hastern States in 1938	1 (Sup.)	25-28
Reporters for Insect Fest Survey, for 1939, list	1	1-5
Seaton, Lce: "Populations and host preferences of June beetles in southern Wisconsin in 1938." With others	3 (Sup.)	103-109
Shotwell, R. L.: "The species and distribution of grass-hoppers in the 1939 outbreak."	4 (Sup.)	179-270
Tetranychus pacificus McG., distribution and food- plant records of	9 (Sup.)	593-594
Tetranychus telarius L., distribution and food-plant records of	9 (Sup.)	594-602

	No.	Page
fance, A. M.: "Estimates of damage by the European corn borer in 1938 and a comparison with 1937 estimates"	8 (Sup.)	535-538
Valton, Mary M.: "Distribution and food-plant records of Paratetranychus citri McG., P. ilicis McG., P. pilosus C. & F., Tetranychus pacificus McG., and T. telarius L." With Janet E. Mabry	9 (Sup.)	589-602
Wisconsin, southern, populations and host preferences of June beetles in, in 1938," article by T. R. Chamberlin and others	3 (Sup.)	103-109

(Common names listed separately at the end)

	No.	Page
Acantholyda erythrocephala L	3 4	9 <u>1</u> 166 405
Acanthoscelides obtectus (Say)Acarina	1 8 1 3	23 491 7 61,62-63
	4 (Sup.)	111,114-116 179-270 271,273,275-277
	6 7 8 9	351,354-355 419,421,423-424 486 547
Acrobasis caryae Grote	10 2 6	627-628 41 376
Acrobasis juglandis (LeB.)	7 2 4 (Sup.) 5 7	444 41 196,239,267 316 441
Adalia bipunctata (L.)	9	563 171 403,418
Adelges abietis (L.)	4 6 7	470 163 406 470
Adelphocoris lineolatus Goeze	9 6 7 8	578 366 476 519
Aedes lateralis (Meig.)	4 8	172 520
Aedes sollicitans (Walk,)	6 7	413 476
Aedes sp	7 7 8	476 4 76 519
Aedes vexans (Meig.)	3 4 8	97 172 520
Aeoloplus tenuipennis Scudd.	4 (Sup.) 4 (Sup.)	196 259

	•
Aeoloplus turnbullii Thos	4 (Sup.) 189,210-242 4 (Sup.) 195,196,199,211 213,228,230,235
Aeoloplus turnbullii turnbullii Thos	243,245,255,267 4 (Sup.) 195,196,224,226,228 239,251,253,267,269
Aeolus dorsalis (Say)	4 118 5 280
Aerochoreutes carlinianus carlinianus Thos Aeropedellus clavatus Thos Ageneotettix deorum (Scudd.)	4 (Sup.) 224 4 (Sup.) 196,218,224,239,251 4 114
25gonooyo ya 11 a oo a aa	4 (Sup.) 189,196,208-209 211,213-226,228-230 232,235,238-245 250-255,259-261 264-269
Ageneotettix deorum deorum (Scudd.)	4 (Sup.) 205,206,208,209,215 216,264,265
Agonoderus lecontei Chaud	4 128 6 365
Agonum maculicolle DejAgrilus anxius Gory	7 434 102 4 161 5 327 6 400 7 464
	509-510
Agrilus difficilis Gory	1 4 17
Agriotes mancus (Say) Agromyza simplex Loew Agromyza virens Loew	1 9 78 5 280 4 151 3 95
AgromyzidaeAgrotis orthogonia Morr	
Alabama argillacea (Hbn.)	9 4 156 5
	3 4 9 121 9 156 5 5 6 321 6 393-394 7 420,458-459 8 485,505-506 9 485,505-506 9 569-570 10 639-640 5 507 9 1579 4
Aleurodes azaleae (B.& M.)Aleurodidae	5 339 5 315 8 507 9 579
Aleuroplatus plumesus (Quaint.)	4 169 5 338

Alsophila pometaria (Harr.)	1 16
	158
4	5 6 323
Altica chalybea Ill.	6 397 4 140
	5 302
Altica torquata (Lec.)	
Altica ulmi (Woods)	3 1
ALLOCA ALIEL (HOORD)	5 329–330
	9 574
Alypia octomaculata (F.)	9 7 471
Amblyomma americanum (L.)	3 98
., ,	3 4 174
	7 478
Amblyomma maculatum Koch	9 586 2 56 3 98
	3
	4 175
• 1	5 6 416
·	
•	7 478
	8 522
Amblyteles brevicinctor (Say)	8 (Sup.) . 534
Amitermes perplexus Banks	8 524
Amphitornus coloradus (Thos.)	4 (Sup.) 196,211,224,228,239
	241, 243, 251, 253, 267
Anabrus simplex Hald	3 4 111,116
, ,	
÷ (5 277–278 6 355
	6 355 7 424
	· ·
•	9 10 547 628
Anacentrinus deplanatus (Csy.)	8 491
Anacentrinus subnudus Buch	2 36
Anaphothrips obscurus (Mull.)	5 272,290-291
	6 414
Anarsia lineatella Zell	4 137
	6 372
Anasa tristis (Deg.)	1 2 46
	2 46
	3 84
	4 149
÷ .	5 311
	6 387
	1 13 2 46 3 84 4 149 5 311 6 387 7 451-452 8 501-502
Anagtropha Judong (Toos)	49 565 2 42
Anastrepha ludens (Loew)Ancylis comptana (Froel.)	4 153
thiograp comptanta (from)	5 315
	49 565 2 42 4 153 5 315 6 390-391
	8 503

	0	E76
Andricus cornigerus O.S	9	576
Andricus coronus Beutm	<u></u>	165
		_
Andricus topiarius Ashm	1	17
Anisandrus pyri Peck	7	442
	1	
Anisota rubicunda (F.)	7	421,467
	8	512
		_
	9	575
A	g	
Anisota senatoria (A. & S.)	8	513
Anomala binotata Gyll	3	89
	2	
Anomala orientalis Wtrh	5	279
	7	427
	•	
	10	648
Ancpheles atropos D. & K	2	54
Ancpuetes acrops n. & k.	۵.	_
Anopheles maculipennis Meig	3	997
	d	
	8	520
Anopheles punctipennis Say	3 8	97
time price of pane of permit of say	2	
	8	520
Anthonemus costulatus Suffr	6 1 3 4	377
	0	
Anthonomus eugenii Cano	1	13
	7	86
	٥	
	4	113,152
	į.	
	6	391
	10	636-637
Anthonomus grandis Boh	1	14-15
0	2	48
	2 3 4	
	3	86–87
	Ĭ,	
		113,155
	5 6	273, 317-320
D.	2	
	6	352,392-393
	. 7	420,455-457
	8	485,504-505
		568-569
	9	
	10	637-638
Anthonomus grandis thurberiae Pierce	8	505
Anthonomus scutellaris Lec	7	7175
Antifolionas Setteriairs Lee.		
- · ·	g	495
	9	559
		11011
Anthonomus signatus Say	2	46-47
	. 4	152
	. 4	
Anthrenus scrophulariae (L.)	1	23
Titi viii ciido ooi opiidida ido (21)	6	417
	Ö	
	7	480
	i d	
	8	525
Anthrenus verbasci (L.)	1	23
violiteina Astasot (T.)	7	
	1	480
A-1: \	7	429,436
Anticarsia gemmatilis (Hbn.)	7	
	8	485,488
		545,550-551
	9	
Antipus laticlavia (Forst.)	6	411
THE TOTAL TOTAL (TOTAL)	6	366
Anuraphis bakeri (Cowen)	0	200
•		

Anuraphis roseus (Baker)	1	.9
*	3	75
	3 4 5 295,	
	1)0	
	5 295,	
	6	371
	7 .	371 +22
•		632
17 18 17		
Anurogryllus muticus (Deg.)	<u>j</u> †	157 .
Aonidiella aurantii (Mask.)		142
	5	303
Aphalara calthae (L.)		383
Alazia Carvino (II)	· · · · · · · · · · · · · · · · · · ·	
Aphelinus mali (Hald.)	3	75
	7	122
	8	+93
Aphelinus sp	3	71
winterings she	8 3 5 292-1 2	•
	5 292-	
Aphiidae		
	3 61.74	83
	85,86,88	
		100
	5 272, 295, 296, 313, 352, 360, 371, 374-	
	6 352,360,371,374-	375
	377,386,1	
		160
	7 ,421,422,451,1	+60
	493,501,502,	
	9 570,1	573
Aphis forbesi Weed	9 570,9 2 8 2 9 3	47
	g I	503
	0	
Aphis gossypii Glov	2	51
·	3	88
	4	156
		312
·	5 7 452,1	
	8 502.	
	9'	570
Aphis illinoisensis Shim,	9	559
Aphis maidis Fitch	6	362
Aprils moldly floci	7 419,1	177
		† <i>)</i>
	8 3 4 135,136,5 5	191
Aphis pomi Deg	3	74
	135,136,	L37
	5	296
	a C	
	, ,	211
	7 422,1	+39
	10'	532
Aphis rociadae Ckll	5	340
		+10
A 1 to a second the T	3	
Aphis rumicis L	1	12
	1 2 4 4	53
		171
		335
Ambia asmbusifalina Witch	3	90
Aphis sambucifoliae Fitch)	

Aphis spiraecola Patch	1 2 3 4 5 6	10 42 61,79 142 343 411
Aphis varians PatchAphis viburnicola Gill	5 6 3 4 6	375 96 171 411
Aphodius distinctus (Mull.)	1 5 5 9 2 3	7 283 293 549 56 98 523
Argyresthia cupressella Wlsm	7 5 3 4 5	465 328-329 92 168 338
Argyrotoxa semipurpurana Kearf	5 7 4 (Sup.) 4 (Sup.)	408 333 455 211 196,208,215,216,218 224,228,232,235,251 259,264,265,267
Arphia simplex Scudd	4 (Sup.) 4 (Sup.) 4 (Sup.) 5	208,211,221,243,255 205,208,218,221,264 205,221,228,255 325 442,472
Aspidiotus forbesi Johns	3 1 3 5 4	77 20 95 342
Aspidiotus juglans-regiae Comst Aspidiotus perniciesus Comst	8 1	. 169 518 6,8-9
	3 4 5 6 7 9 9 5 2	61,71 132 292 368 437 556
Aspidiotus spinosus Comst	9 5 2 8	560 345 41 517

Attagenus piceus (Oliv.)	1 2	23 59
	6 7 8	417 480 525
Aulocara elliotti Thos	4 (Sup.)	115 189,196,199,208,211 213,223-226,228-232
Aulocara sp	4 (Sup.)	213, 223-226, 228-232 235, 239-243, 248-255 259-261, 266-270 232, 233
Aulacaspis pentagona (Targ.)	2 3 4	41 77 138
	6 7	408 472 580
Autographa brassicae (Riley)	9 1 2	6,12 45
Andrew Comments (Amment)	9	450 501 565 64
Autoserica castanea (Arrow)	5	119 279
	7 8	419,426 487
Autographa sp	9 10 5 6	565 648 343
Basilarchia archippus (Cram.) Bassus agilis Cresson	5 8 (Sup.)	402 325 530,534
Bathyplectes curculionis (Thoms.)	3	67 129
Bembex sp	6 7 3 4	365–366 478 78
Bigonichaeta setipennis Fall	8	140 496 116
Blatta orientalis L Blattella germanica (L.)	5 3 7	322 101 480
Blissus hirtus Montd	5 6 7	338 407–408 471
Blissus insularis Barber	8 7	517 471

Blissus leucopterus (Say)	1 3 4 5 6 7 8 9	6,8 66 112,123-124 271-272,284-286 351,360-362 431-432 485,489-490 545,552-553
Boopedon maculatum Caud	4 (Sup.) · 4 (Sup.)	211,243,255,257 196,199,211,224,228 235,243,251
Boopedon sp Bevicola bovis (L.) Brachymyrmex sp Brachyrhinus ligustici (L.) Brachyrhinus ovatus (L.) Brachyrhinus rugosostriatus Goeze	4 (Sup.) 2 6 4 4 5 6	228 55 408 129 152 314,315 390
Brachyrhinus spp	¥ 56 56	315 390 314-315 374,390
Brachyrhinus sulcatus (F.)	3 4 5 4 (Sup.)	85 152 315
Brachystola magna (Girard) Brevicoryne brassicae (L.)	4 (Sup.)	235, 243, 255, 257 46
Bruchobius mayri (Masi) Bruchophagus gibbus (Boh.) Bruchus brachialis Fahraeus	7 2 7 2 4 6 7	451 59 435 59 130 352,367-368 420,435
Bruchus pisorum (L.)	10 1 3 4 5 6 7	630 23 61,83 113,147-148 310 386 449 565
Bruneria brunnea Thos	9 4 (Sup.) 1 2	224, 239, 267 10 54
Bucculatrix canadensisella Chamb Bucculatrix thurberiella Busck Buprestidae	9 6 3 4	573 395 90 177

Byturus unicolor Say	3 4 5 6	78 139-140 301 352,374
Cacoecia argyrospila (Walk.) Cacoecia cerasivorana (Fitch) Cacoecia fervidana Clem Cacoecia fumiferana (Clem.) Cacoecia infumatana Zell Cacoecia obsoletana Walk	3 4 5 7 7 4 6 7 9 10 4	73 113,135 294-295 442 468 163 406 422,469 578 645 113,141
Caenurgia crassiuscula Haw	1 95 7 4 4 7 3 4 5	7 573 327 465 127 127 471 95 170 342
Caliroa cerasi (L.)	6 56 4 5 4 2 8 9 9 7 4 6 7	410 300 373 121 339 169 50 514 587 583 462 119 358 419,427
Calpodes ethlius (Cram.)	8 7 9 4 (Sup.)	487 473 581 114,115 189,196,200-203 214-226,231-233 235,238-241,247-251 259-270 277 423,424 57

Camponotus caryae rasilis Wheeler	4 3 4 7 4 (Sup.) 4 (Sup.) 4 7 6 1 3 4 5 6 7 8 9 10	176 101 176 422,479 205,206,228,243,255 235 153 472 374 6,9 61,71-72 113,132-133 272,293-294 352,369-370 420,422,438-439 485,492-493 556 632-633
Carpophilus dimidiatus (F.)	8 9	525 587
Cecidomyia balsamicola Lint	8 6 5 6	512 400 332 402 466
Cecidomyia viticola O.S	້ຮ້ 5 1 (Sup.)	496 287 26
Cephalanomia gallicola Ashm	1 2 7 7	23 56 421 421,431 328
Ceratomia catalpae (Bdv.)	5 6 7 8 9	400 464 510 574
Ceresa bubalus (F.)	9 4 5 6 7	175 121-122,142 283 391 439
Ceromasia sphenophori Vill Cerotoma trifurcata (Forst.)	10 3 4 5	648 82 113,147 309
	6 7 8	385 420,449 500

7 6 7 5 5 4 7 5 6	450 311 339 127 434 337 407 470
3	+67
6 8 (Sup.) 529,530,533,5	520 +13 534 550
	332 492 43 90
2 3 4 6	52 93 167 109 173
	369
9 1 2 3 4 5 6	579 17 50 91 166 335 405
	7

Chlorochroa sayi (Stal) Chlorochroa sayi (Stal) Chlorophorus annularis (F.) Chorizagrotis auxiliaris (Grote) Chortippus curtipennis (Harr.) Chortippus longicornis (Latr.)	4 (Sup.) 4 7 9 3 5 4 (Sup.) 4 (Sup.)	205,215,218,239,267 117 421,429 551 102 282 259 196,202,203,205 208,215,218,224,232 239,251,264,265,267
Chortophaga viridifasciata (Deg.)	4 (Sup.)	193-194,205,206,211 222,243,254,255,257 276
Chrysobothris femorata (Oliv.)	1 3 4	16 70 131 556
Chrysoclista linneella Clerck Chrysomela interrupta (F.)	9	164
See Chrysomela lapponica (L.)	5 8	336 - 337 515
Chrysomela scripta F	5 6 7 8	337 406 470 515
Chrysomphalus aonidum (L.)	5 9 5	341 560,579
Chrysomphalus citrinus (Coq.)		303 560
Chrysomohalus obscurus (Const.)	9 1 2 7 9	10 42,50 468 576
Chrysops discalis Will	9 5 6	346 415
Chrysops fuliginosa Wied	4	1 7 2 346
Chrysops fulvastra O.S	6	415
Chrysops nigera Macq	5 5 6	346 346
		415
Cicadellidae	14 7	141 439-440
	8 9	493 557,560
Cimbex americana Leach	9 8 1	515 21 96
Cinara sabinae Gill	1 3 5 6	341
Cincticornia pilulae WalshCingilia catenaria (Drury)	6 8	404 509
ornerrie Concinerra (migra)	ý.	5€7

Cirphis unipuncta (Haw.)	14	112,124-125
400	5	272,286-287
		360
• •	8	487
	9	550
Cladius isomerus Nort.	4 .	170
Clytoleptus albofasciatus (Lap.)	7	420,442
Cnephasia longana (Haw.)	4	153
	5	314
	71	420,445
Coccus hesperidum L	6	167 408
	7	472
	8	517
		580
Cochliomyia americana C. & P	9	55
	3	97-98
	3 4	173-174
	⁻ 5	345
		415
	7	421,477-478
	8	521-522
	9	585
	10	646-647
Cochliomyia macellaria (F.)	7	478
Cookliderric	8	521
Cochliomyia sp Colaspis brunnea (F.)	3 4 5 6	98 168
Volasois biumiea (1.)	5	272,290
	é	365,376
Colaspis sp	5 4	340
Coleophora laricella Hbn	1	163-164
	5	331
Coleophora malivorella Riley	5 3 4	73
·	14	135
	5	295
	6	370
Colias eurytheme Bdv	3	70
	2	434 491
Colopha ulmicola (Fitch)	6 3 7 8 6 4 5	491
Coloradia pandora Blake	7	165–166
O a o a control position of the second of th	5	
	10	334 645
Conopia bibionipennis (Bdv.)	6	391
Conopia exitiosa (Say)	1	. 9
	2	40
	3	76,100
	4	137
	5	298-299
	(441
	3 4 5 7 8	495
	9	558

Conopia pictipes (G. & R.)	33653456780	76 95 409 320 76-77 113,138 272,297-298 352,372-373 440 485,494
Conozoa sp Conozoa sulcifrons Scudd Contarinia sorghicola (Coq.) Contarinia sp Contarinia virginianiae Felt Cordillacris crenulata Brun	9 4 (Sup.) 4 (Sup.) 7 4 5 4 (Sup.)	558 202,232,248,249 232,233,259 436 169 328 196,210,211,224,227 228,235,251,267
Cordillacris occipitalis Thos	4 (Sup.) 4 (Sup.) 8 3 6 7	196,235,239 196,235,239 224,228,251,267 516 95 410 468
Corythucha ciliata (Say) Corythucha cydoniae Fitch Corythucha marmorata (Uhl.) Cossula magnifica Stkr	9 9 3 5 1 2	576 581 93 339 10 42
Crambus caliginosellus Clem	36 7 9 4 5	91 357 425 548 154 316
Crambus sp	5 5 4 (Sup.) 8 (Sup.) 3 4 5	127 283 338 196, 224, 235, 267 530, 533 101 176 348 586
Crematogaster lineolata var. near cerasi Fitch Creontiades femoralis Van D Crioceris asparagi (L.)	6 9 2 3 4 5	375-376 570 46 84 150-151 272,313

Crioceris asparagi (L.) (Cont'd.) Crioceris duodecimpunctata (L.)	6 388 7 453 9 566 10 637 5 313
orioderis duodecimpunctata (n.)	7 453 10 637
Crioceris spp	5 10 313
Cryptococcus fagi (Baer.)	9 572 6 412 1 21
Ctenocephalides felis (Bouche)Culex bahamensis D. & K	3 96 2 7 476
Culex pipiens L	8 520
Culex tarsalis Coq	9 584 3 97 7 476
Culicinae	520 2 54 3 97
	97 4 172
	6 413
	7 8 519
Culicoides spp	9 584 2 54 4 172
Culicoides melleus (Coq.)	520 520 9 559 1 10
	7 9 559 – 560
Curculio proboscideus F	9 . 559
Curculio spp	9 559-560
Cylas formicarius (F.)	1 14
	503 9 567 6 402
Cylindrocopturus longulus (Lec.) Cyllene robiniae (Forst.)	6 402
	164 6 403
	512
Cynaeus angustus (Lec.)	9 7 2575 481

Dactylopius confusus newsteadi Ckll Dactylotum pictum Thos Danaus menippe (Hon.) Dasyneura leguminicola (Lint.) Dasyneura mali Kieff Dasyneura pyri (Bouche) Dasyneura rhodophaga (Coq.)	6 4 (Sup.) 9 6 5 5	418 196,228,235,251,255 551 367 296 300 96
Datana integerrima G. & R	10 6 7	640641 376377 444
Datana major G. & R	8 9 6 7	515 580 370 437
Deinocerites cancer Theob Dendroctonus brevicomis Lec Dendroctonus frontalis Zimm	8 6 10 7	493 413 644 468
Dendroctonus monticolae Hopk Dendroctonus pseudotsugae Hopk	8 10 6 10	513-514 643 353,401-402 643-644
Deprus sp Deprus sp. Stiles	7 8 4 (Sup.) 3	468 514 235 97 173
Dermacentor occidentalis Neum	5 7 10 8	345 4 7 7 647 521
Dermacentor variabilis (Say)	9 1 3 4	584 21 97
	5 6 7 8	172-173 344,345 353,413-414 476-477 521
Dermanyssus gallinae (Deg.) Dermestidae	10 5 7 8	647 347 480 525
Derocrepis erythropus (Melsh.) Derotmema haydenii Thos	4 4 (Sup.)	131 196,211,224,228 235,239,251,259,267
Derotmema laticinctum Scudd Derotmema sp Desmia funeralis (Hbn.)	4 (Sup.) 4 (Sup.) 3	235 235 78 140
	6 7	375 443

Dexia ventralis Ald		(Sup.)	25 43 82 143
Diabrotica duodecimpunctata (F.)	5 7 9 1 2 3		312 444-445 546,562 11 40,43-44 67,80
Diabrotica duodecimpunctata tenella L	4 5 7 8 9		127,143 312 444 498 562 445
Diabrotica longicornis (Say) Diabrotica soror Lec Diabrotica spp	7 *** gg; sin do *** an , 7	T	433-434 445 311-312 444-445 498 562
Diabrotica tricincta (Say) Diabrotica trivittata (Mann.) Diabrotica vittata (F.)	8 8 3 4 5		498 498 80 150 272,311,312
Dialeurodes citri (Ashm.)	6 7 8 9 2 3		378 444 498 562 42
	5 7		142 303 471 497,516 579
Diaphania hyalinata (L.) Diaphania nitidalis (Stoll)	7 8		516 452 502 312 388
Diaphania sop Diapheromera femorata (Say)	7 8		452 502 452 502 565–566 572
Diarthronomyia hypogaea (Loew) Diaspis carueli Targ			19 52 341 409 474

12
14 11 14
38 21 1 7
33 31 96
36 06 22
78 59 17
14 57 57
96 11 26 43 59
52 15 39
11 +2 57
77 54 24
28 59 53 50 32
03 7 5
24 39. 67
02 64 15
22 06 70
1 3 3 3 3 3 3 3 4 4 5 0 5 1 3 1 4 5 7 5 2 2 5 5 5 3 5 7 2 3 6 0 6 1 2 0

Elasmopalpus lignosellus (Zell.)	127 5 - 289
Elateridae	3 64
	111,118-119
	5 273-274,280
	6 358–359 7 425
	6 510
Eleodes opaca (Say)Eleodes spp	3 66 4 120
Eleodes spp.	9 553
Ellopia fiscellaria Guen	10 645
Ellopia fiscellaria Guen	146
**	5 307,343 6 382–383
	382 – 383 7
Empoasca sp	9 564
Enchenopa binotata (Say)	9 551
Encoptolophus pallidus subgracilis Caud Encoptolophus sordidus costalis Scudd	4 (Sup.) 243,255 4 (Sup.) 196,224,228,235
The optotophus solutuus costatis beautis	239, 255, 257, 267
Encoptolophus sordidus sordidus (Burm.)	4 (Sup.) 208,215,218,221,224
	239, 264
Encoptolophus subgracilis texensis Burm Engytatus geniculatus Reut	228 2 45
	6 383
Ennomos subsignarius (Hbn.)	5 6 323
Entomoscelis adonidis (Pallas) Epargyreus tityrus F.	6 378
See Proteides clarus (Cram.).	
Ephestia cautella (Walk.)	2 58
Ephestia figulilella Greg.	7 7 443 481
Ephydra subopaca Loew Epicaerus imbricatus Say	3 73
	5 314
Epicaerus formidolosus Boh	
Epicauta cinerea (Forst.)	6 377 4 144
, and the second	6 379
	7 428 487
Epicauta ferruginea (Say)	5 281
Epicauta lemniscata F	5 281
	7 427,428
Epicauta maculata (Say)	5 6 · 379
Epicauta marginata (F.)	5 281
Epicauta pennsylvanica (Deg.)	7 427 427
- Processing Transfer (2086)	8 487
Epicauta sericans Lec.	7 428

Epicauta spp.	7	428
Epicauta vittata (F.)	6	379
20100000 1100000 (21)	7 .	427
	8	487
77 . 7 . 1		
Epilachna borealis (F.)	6	388
	7	452
Epilachna varivestis Muls.	3	61,82
	14	146-147
	5	272,308-309
	5 6	383-385
	7	420,448-449
	g	
		485, 499-500
	9	546,564
	10	636
Epinotia meritana Heinr.	7	466
Epinotia nanana Treit.	5	336
Epitrimerus sp.	7	475
Epitrix cucumeris (Harr.)	7	113,143,146
apa da an a do	5	306,307
	6	
· ·	7	380-381
· /m \	(146
Epitrix parvula (F.)	2	47
	3 .	86
	4	154
A 2	5	306,316
Epitrix spp.	5	272, 274, 306-307
	5 5 6	380-381
Epitrix subcrinita Lec.)1	146
Epitiik Subdilition Dec.	, T ,	306
The salme sound and a Table	. <u>5</u> .	
Epochra canadensis Loew	and the second s	140
Eretmocerus haldemani How.	8	507
Erinnyis alope Drury		377
Erinnyis sp.	6	377
Eriocampa juglandis (Fitch)	S	515
Eriococcus azaleae Comst	2	51
	3	92
	4	168
	5	339
	56	408
	<u>9</u> .	580
Eriophyes fraxiniflora Felt	. (463
	8	509
Eriophyes pyri Pgst	5	300
	8	495
Eriosoma americanum (Riley)	9 .7 8 5 8 5 8 5	330
	6	401
	8	511
Eriosoma crataegi (Oestlund)	g 7	474
	9	582
Friedom lonicom (House)	9 2 3 5	
Eriosoma lanigerum (Hausm.)	7	39
	2	75
	Ď	296,330
	6	371,401

	NAC -		to the second of the
Eriosoma lanigerum (Contid.)	8 ;- 30 mps was 400 ags who mai who ags was who 800 400	8	493
	May with a second of the second	9	557
Eriosoma spp			401
Erythroneura comes (Say)			79
	and the same and t		141
		6	301 - 302
		7	443
	-	8	496
Erythroneura comes ziczac Walsh		9	559 302
	•	6	375
77	8	8. ~	496
Erythroneura elegans McA.		5	. 440
Erythroneura elegans McA Erythroneura hartii (Gill.)	u ann mith ann ann aith ann ann didh ann dain inidirian	8 11 1 1 1 1 1 1 1 1 1 1 1 1 1	493
	Mails and a second	9	557
Erythroneura lawsoniana Baker		(440 557
Erythroneura obliqua (Say)		9 .	557
Erythroneura omani Beam		7	护护O
Erythroneura spp	a man una man and man min man man min man min man min man man man man man man man man man ma	7	375 443
		3	496
Erythroneura tricincta cymbium M		= +	141
Euceraphis betulae (Koch) Eucosma gloriola Heinr	 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	7	327 469
Euetheola rugiceps (Lec.)		Land Carlot Control	130
Eulophus viridulus Thoms	\$	S (-Sup.)	289 529.533-534
Eupalopsis mali Ewing		7	747-753-754
Eupelmus allnyi (French)		9	558
Eupelmus allnyi (French) Euphoria fulgida (F.)		<u>2</u>	59 371
Euphoria inda (L.)			358
		9	548
Euphoria rufobrunnea Csy Euphoria sepulchralis (F.)) ↓	549 131
Euphoria spp		9	548-549
Euryopthalmus convivus Stal		3	92
Eutettix tenellus (Bak.)		5. 1	502
, , , , , , , , , , , , , , , , , , , ,		3	86
	14	+	113.153~154
		3	383 504
	9)	566
Eutrombicula alfreddugesi (Oud.)	10		634-635
Eutrombidium trigonum (Hermann)			355
Euxoa ochrogaster (Guen.)		5	273
Euxoa sp		5	282

.e	
Feltia venerabilis Walk	4 121
Fenusa pumila Klug	5 327 6 399 5 330 3 79 5 302 6 375
	6 399
Fenusa ulmi Sund.	5 330
Fidia viticida Walsh	3 79
TIMIO AT OTOTAG HOTPU - members - me	700
	5 302
Fiorinia theae Green	580
Forficula auricularia L	1 7
	3 65
	3 65 4 116-117 6 351,356 7 419,425
	751 756
	6 351,356
	7 419,425
Formica fusca L	5 348
Formica truncicola integra Nyl	8 524
Formicidae	2 57
	5 348 8 524 2 57 4 176
	5 6 416-417
	7 479-480
	8 524
	9 586
Frankliniella cephalica (Crawf.)	3 95
4	9 586 3 95 4 167
Frankliniella fusca (Hinds)	4 157
a Total Paragraph of Paragraph of Section 1	157 5 6 379
	770
	g 49g
Frankliniella moultoni Hood	3 81
· ·	8 516
	9 564,582
Frankliniella spp	8 498,516
Frankliniella tritici (Fitch)	1 10
	3 92
	4 6 373
	8 498,516
	9 580
Galerucella xanthomelaena (Schr.)	1 16
•	4 162
	5 329
	329 6 400-401 7 421,465-466 8 485,510 6 389 4 175 5 346 6 416
	7 421,465-466
	1 1/25 530
	g 485,510
Gargaphia solani Heid.	6 389
Gasterophilus haemorrhoidalis (L.)	4 175
	5 346
	6 416
Gasterophilus intestinalis (Deg.)	8 523
Controphilus possiis (T)	4 175
Gasterophilus nasalis (L.)	
	8 523

Gasterophilus spp		4	, · · · ·	175
	mps.	8		523
Geometridae		2		49
		3	,	61,88-89
	.*	<u>,</u>		113,158-159
Company manifestation (Thurt)		5		323
Geraeus penicellus (Hbst.)		7		70
Gnathocerus cornutus (F.)		и	*	79 177
Gnorimoschema lycopersicella (Busck)	10 10	,		-11
See Keiferia lycopersicella (Busck).				
Gnorimoschema operculella (Zell.)		5		273,316
4		5		352,381
		g		1499
		9		546,563
Gossyparia spuria (Mod.)		1		17
•		4 =		162
		5		330 - 331 401
		7		466
		ğ		511
		9		574
Gracilaria azaleella Brants		i		i9
	*A \$6.0 .	9	•	580
Gracilaria sp.		9 5 2	•	328
Grapholitha molesta (Busck)		2		40
		3		76
		4 5		137 274, 298
		6		371-372
		7		420,441
		g		4941195
	tal - I by v	- 9	v s	557-558
		10		633
Grapholitha packardi Zell		5		300
Grapholitha prunivora (Walsh)		9		558
Graphops pubescens (Melsh.)		5		315
Gryllidae		0		390 44
ALATTICES		7		88
		56238		524-525
Gryllotalpa hexadactyla Perty		_		81
		3 7 1		448
Gryllus assimilis F		i		14,23
		3 4		101
				1,4,4
		6		391,117
		•		525
Gryllus domesticus L		9 7		586 480
Gryllus sp.		g	6	524
Gynaikothrips uzeli (Zimm.)		- 11	1 - 17	167
, ————————————————————————————————————		•		

Hadrotettix speciosus Scudd		4 (Sup.)	196,251
Hadrotettix trifasciatus Say		4 (Sup.)	196,211,221
			224,228,235,239
		_	243, 251, 255, 267
Haemaphysalis leporis-palustris Pack		3	99
Haematobia irritans L		2	55
	•		174
		5	345 415
		7	478
		3	522
			585
Haematopinus adventicius Neum		9	586
Haematopinus asini (L.)		2	56
Haematopinus eurysternus Nitz		3	98
		•	415
	- 8	3	522
Haematopinus suis (L.)			
See Haematopinus adventicius Neum.			1,60
Halisidota caryae (Harr.)		<u>(</u>	462
Halisidota harrisi Walsh		2	7 440
Tartage and an		- 7	81
	Ĩ) ↓	143-144
	¢	5	304
	- 6	5	407
Halticus bracteatus (Say)		-	583
Halticus citri (Ashm.)		9	86
		5	291
		3	500
Hamadryas antiopa (L.)	l	+	161–162
		7	462
	\{	<u>-</u>	516
Harmolita grandis (Riley)	r	3 5 5	. 286 . 286
Harmolita tritici (Fitch)		7	419,430
) S	1 3	485,489
Harmolita vaginicola (Doane)		3	489
Harrisina americana (Guer.)		Ś	375
Heliothis armigera (Hbn.)		L	19
· · ·		3 1 3 4	85,87
			112,126
	į.	5	272,288-289
· ·	,		307.320
	6	5	351, 352, 362-363
		7	381,394-395
	1	7	420, 454-455 457-458
	S	3	485,499,505
		9	545,553,561
the state of the s	10	Ó	638-639
4 3			-)))

Heliothis obsoleta (F.)

See Heliothis armigera (Hbn.).

Heliothis virescens (F.)	e was well to the Balling of the same of t	7		154
Hellula undalis (F.)	egit and the mile tending	5	Mis.	395 46 149
		9		566
Hemerocampa definita Pack Hemerocampa pseudotsugata McD		7	el	471 645
Hercothrips fasciatus Perg	****	6		385
Hercinothrips femoralis (Reut.) Hesperotettix speciosus (Scudd.)		5	(Sup.)	305
-			4	213, 221, 228, 230
Hesperotettix yiridis Thos		14	(Sup.)	243 , 251, 253, 255, 257 196, 205, 208
,	· · · · · · · · · · · · · · · · · ·			211, 215, 218, 221 224, 228, 235, 239, 243
				251, 255, 259, 261, 264
Hippelates spp		5		26 7 3144
		6		413 476
	* ·	8		520
Hippiscus rugosus (Scudd.)		4	(Sup.)	193-194,196,205
		N.		228, 243, 251, 256
Hippodamia convergens Guer, Homalopalpia dalera Dyar		6		150 377
Horistonotus uhleri Horn		6		358 425
Horistonotus sp.		7	gala dir	425
Hyalopterus arundinis (F.) Hylastinus obscurus (Marsham)		7		139 130
Hylemya antiqua (Meig.)	• .	6		367
Aylemya antiqua (Merg.)		5		152 314
Hylemya brassicae (Bouche)		. 6		389 149
in the second second		5		274,310
Hylemya cilicrura (Rond.)	op od to to with the .v.	- 1 -	= 1 I	389 6,14
	nucle .	2 ·	months of the	44 304 — 305
Hylemya sp.		i		11
Hylobius radicis Buch		6		165 405
Hylotrupes bajulus L		9	\	577 59
Hylurgopinus rufipes (Eich.)		4		162
Hymenia fascialis (Cram.)	eno mo mo rigi yari (1886).	5 8		329 503
Hypera brunneipennis (Boh.)		9		546,566 6 1, 67
in nerg At Munothermra (Done))		04901

Hypera postica (Gyll.)	1 3 4 5 6 7 8	/ S N	8 61,67 129 291 365-366 434 491
	9	(Sup.)	539-543 554
Hypera punctata (F.)	10 3 4		629 68
Hypera sp	7 8		129 7 439 507
Hyphantria cunea (Drury)	94		576 160
Hyphantria textor Harr.	567895		325 353,397 421,461-462 485,508 546,571 325
Hyphantria spp.	8 9		508 507-508
Hypochlora alba Dodge	4	(Sup.)	196,205,211,228 239,243,251,267
Hypoderma bovis (Deg.)	7		174
Hypoderma lineatum (DeVill.)	52236		345 55 55 98
Hypsopygia costalis (F.)	7 4 6		415 435 139 3 7 4
Icerya purchasi Mask	2		42 79,92
	2 3 4 5 6 7	t	142 303 408 472
Ichthyura inclusa Hon	8	(Sup.)	514 530,532,534
Ips avulsus (Eich.) Ips calligraphus (Germ.)	2 2		50 50
Ips grandicollis (Eich.) Ips oregoni (Eich.) Ips ponderosae Sw	7 8 10 10		468 514 644 644

Iridomyrmex humilis Mayr	• कुठ चान झाठ कुठ व्यक्त व	on tall the little can selp	2 3 4 5 6 7		57 100 176 347 417 479
Isoptera			8 9 2 3 4 7 9 5	new or P	524 586 56-57 99-100 177 479 555 295
Ixodes ricinus scapularis Say			. 3	Marie Company	
Kermes pubescens Bogue			1 3 4 6 7 9 10		81-82 144-145 382 447 563 636
Labopidea allii Knight			3)) 	151 124 529,530,534 94 91
Languria sp			9 7 10 5		51 549 469 648 322 85 125
Lasioderma serricorne (F.) Lasioptera clavula Beutm.	tiện thiệ với vực các thi		567891		289 351,365 419,428-429 485,488 545,550,553 23
See Mycodiplosis alternata Felt. Lasioptera querciperda Felt Lasius interjectus Mayr			1 2 4 5		165 22 57 176 348

Lasius niger alienus americanus Emery	1		22
Laspeyresia caryana (Fitch)	1 2 8		22 41 497
Latrodectus mactans (F.)	2		54 585
	10		648
Lecanium corni Bouche	¥ 5	4	132,171 325,338
Lecanium fletcheri Ckll.	-		412 580
Lecanium nigrofasciatum Perg	9		139
Lepidoptera	7		422
Lepidosaphes beckii (Newm.)	1		10
Lepidosaphes ficus (Sign.)	2		43 80
Lepidosaphes ulmi (L.)	1	•	16 71
	4		167
	5. 6		326 399
	7		463 579
Leptinotarsa decemlineata (Say)	4 (Sup.) 2		255 44
neptinotal sa decemineata (say)	3		81
	5· 6		14 5 305 – 306
	6 7		380 446
Leptoconops kerteszi americanus Carter	9 5	•	563 347
Leptocoris trivittatus (Say)	1	•	21
	2 3		58
	4 5		161 328,341
	6 7		371 464
	g a		510 573 - 574
Leptoglossus phyllopus (L.)	4		171
	5 8		301 497
Leptoypha minor McA.	4 56 78 94 58 951 3356 8		560 32 7
Leucaspis japonica Ckll	1 3		18
Ligyrus gibbosus (Deg.)	3		81
	96		30 ⁴
	8		497

Limonius agonus (Say)		<u> </u>	4.5	358
Limonius californicus (Mann.)		1		.7
} s		3		64
		4 .		::118-119
		5		280
		6		359
· ·		8		487
		9		549
Limonius canus Lec.	*	. ج		64
	_	6		119
Limonius ectypus (Say)		.)ı :		359 118
Limonius infuscatus Mots.		7	•	64:
Limonius sp.		II .	and the second second	118
Limonius subauratus Lec.		3		64
Limothrips cerealium Haliday		8	-	521
Linognathus setosus (Olfers)		- 3 "		99
Linognathus sp.		ź		99
Linognathus vituli L.		- 5		345
		é		416
Liothrips vaneeckei Priesn.	****	1		20
Liponyssus bacoti (Hirst)	*** *** *** *** *** *** *** ***	3		97
		14		173
		5		345
Listroderes obliquus Klug	\$100 ting that the rate who was the rate was not the \$100.	2	and the second second	43 .
	***	3		80
	*	4		143
		5		304
Tible and I also also also also I also Minor	۹.	8		777 77)
Lithocolletis cincinnatiella Cham Lithocolletis hamadryella Clem		5		333-334
Lixus concavus Say		7		454
Longitarsus waterhousei Kutsch		4		391
Lopidea davisi Knight		14		170
Loxostege similalis (Guen.)		7	<i>(</i> •	434-435
Loxostege sticticalis (L.)		ή		153
		5		274,282
		5		351,359
· · · · · · · · · · · · · · · · · · ·		7	,	429
		8		503
		10		635-636
Ludius aeripennis (Kby.)		<u> </u>		118
	, a late 1	5		280
	* (5 9		549
Ludius sp		4		118
Luperodes brunneus Crotch	mile mile van may mile tauk van van daak tijde talek	6		365 410
Luperodes sp., near brunneus Crot		0	• • • •	160
Lycia ursaria Walk,		4		481.
Lyctus parallelopipedus (Melsh.) Lyctus cavicollis Lec	000 (tot) 000 cm; may 'may may may may 1000 (00)	, 1 "	A Mark British Company	102
Lyctus planicollis Lec		1	and the second	23
mand branicottie man.		3		101-102
	1	7		481

Lydella grisescens R.D	2 3 7 8 (Sup.) 8 (Sup.) 8 (Sup.)	58 101-102 481 528,530-532,534 528 531,534 331 402 422,466
Lygus elisus Van D Lygus elisus hesperus Knight	9 3 9 9 3 9	422,466 574 70 554 69-70 554
Lygus pratensis (L.) See Lygus pratensis oblineatus (Say). Lygus pratensis oblineatus (Say)	1 2 3	15 40,48 69,70
Lygus spp. Lyonetia latistrigella Wlsm Lysiphlebus testaceipes (Cress.) Lytta stygica (Lec.)	594 77	274,313 554 170 433 428
Macrobasis segmentata (Say) Macrobasis unicolor (Kby.)	5 5 6 7	281 280-281 379 427,428
Macrocentrus gifuensis Ashm	8 (Sup.) 8 (Sup.) 5 7	530,533,534 534 271,274,279→280 474 519
Macrosiphoniella sanborni (Gill.) Macrosiphum granarium (Kby.)	7 2 3 5	437 51,53 93 286
Macrosiphum lilii (Monell) Macrosiphum pisi (Kltb.)	9 3 4	582 61,68-69 112,128-129,148 291,309-310
Macrosiphum rosae (L.)	5 6 7	352, 366, 385–386 435 20
	2 3 4 5 6	53 96 171 342-343
	6 7 9	411 475 583

Macrosiphum rudbeckiae (Fitch) Macrosiphum solanifolii (Ashm.)		7 1 2	471 11 45
A STATE OF THE STA	*	4	146
	complement of the second of th	6	307
Macrosteles divisus (Uhl.)	- 1977、「An - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	5	445 314
		6	352,383 454
Magdalis armicollis (Say) Magicicada septendecim (L.)	p ago tiph and with sub-rate rap ago and and tiph. Art after w p - of	-8-	511
Magicicada septendecim (L.)	p ann mil mile ann mile min ann ann ann thail by le	6	326-327 399
Malacosoma americana (F.)	5 (4) out (4) (4) out out out out out (4) (4)	10	641
,	* 4	2	72 77 90
	200 may 1 000 m	4	72-73,89
Malacosoma californica(Pack.)	1 mily min and days _{and} and mily not and any of 1880	10.	633 134
Malacosoma constricta (Stretch) Malacosoma disstria Hbn		6	396 72.89
a a contract of the same of th	de MA visco e e s	- L	273, 324-325
	*	6	396
Malacosoma fragilis (Stretch)		7	422,461
	DAP	-5	32 ¹ 4 353,397
Malacosoma pluvialis (Dyar)	;	10	645-646
Maracosoma pruviaris (byar)		4	132,159
* · · · · · · · · · · · · · · · · · · ·		56	292, 325 353, 396
Malacosoma spp.	a difference with stage with some stage with stage stage of the stage	3	61,89
Mansonia perturbans (Walk.)	·	6	396
Marmara sp.	a wak and any time one any was selected one and	. 3	91
Matsucoccus sp		3	17 79
		8	1444 1497
Melanophila fulvoguttata Harr	, (10) and cap cap cap cap the line life cap doe doe	9	560 163
Melanophila fulvoguttata drummondi	Kby.	4	160
Melanoplus angustipennis (Dodge) -		4 (Sup.)	196,199,205
			228, 235, 239, 241, 251 259, 264, 265, 267, 269
Melanoplus angustipennis impiger S Melanoplus arizonae Scudd.		4 (Sup.) 4 (Sup.)	243, 245, 246, 255 235, 243, 255

Melanoplus bispinosus Scudd Melanoplus bivittatus (Say)		243, 255
	3	62
	4 (Sup.)	114-115 189,195-270 276-277
	No. do - Arthright of-	423,424
Melanoplus bowditchi Scudd	10 4 (Sup.)	627 197,211,228 230,235,2 ¹ 43
Melanoplus bowditchi bowditchi Scudd		267
Melanoplus bowditchi canus Hebard Melanoplus cinereus Scudd		22 ¹ 4,267 2 ¹ 48,2 ¹ 49
Melanoplus confusus Scudd.		248,249
	4 (Sup.)	197,215,221,224 228,239,251,264,267
	5	276
Melanoplus dawsoni Scudd.	224,	197,215,218,219 239,241,251,264,267
Melanoplus devastator Scudd.	3 4 (\$up.)	61,62
		231-233, 248, 249
Melanoplus differentialis (Thos.)		. 62
	4	114-115
a second of the	4 (Sup.)	180,188,191-200
	A get here	204-246,250-261 264-267
*	5	276-277
÷)	7	423,424
	9	5 ⁴ 7 627
Melanoplus femur-rubrum(Deg.)	— -	7
	并	115,116
	4 (Sup.)	189, 192-243, 248 251-255, 258-270
	6	354
	7	423,424
Melanoplus flavidus Scudd.		228,243
Melanoplus flavidus flavidus Scudd	4 (Sup.)	211,215,218
Melanoplus foedus Scudd	4 (Sup.)	189
Melanoplus foedus fluviatilis Brun	4 (Sup.)	211,228,243
Melanoplus foedus foedus Scudd	4 (Sup.)	251,264,268 197,199,202
· ·		203,211,224,229,230.
	the second secon	235, 237, 243, 247, 248
Melanoplus foedus iselyi Hebard	(Sun.)	249, 251, 255, 268, 269 211, 244, 245, 255
Melanoplus gladstoni Scudd		197,218,224
		229,235,237,239,268
Melanoplus glaucipes Scudd	4 (Sup.)	244,255 197,218,223,224,226
meramopius iniamotitis acudd.		229, 235, 239, 251, 268

	* *	310	1 1 11 11 12	
Melanoplus keeleri luridus	(Dodge)	-m - 4	(Sup.)	208, 209, 211, 218
Moleranius Islainus Coult		}1	(Sup.)	259, 261, 264, 265, 268
Melanoplus lakinus Scudd.	The party of the good drift and trift and		(Sup.)	195,197,199,200 212,229,236,237,244
	A			252, 256, 257, 259, 268
Melanoplus mexicanus Sauss		1		7
		3		61,62-63
** **	e engles tres su		_ =	114-116
			(Sup.)	179-270
		5		275-277
	<i>u</i> .	· · · · · · · · · · · · · · · · · · ·		355 423,424
	70 P3	8	- No. 1 West to the	486
		9		547
	•	10		627
Melanoplus occidentalis (Th	nos.)	H	(Sup.)	197,200,212
A	# 1 to the second	and the second section of the second section of the	4.11	225, 229, 236, 239
Melanoplus packardii Scudd)((Cum)	252,256, 259 ,268 189,197 - 200,208
Melanopius packardii Scudd		****		-213,218,221,223-246
	,		Sau ele Sau	252-262,268-269
	ge to design in the	···· 71	*	423,424
Melanoplus pictus Scudd			(Sup.)	236
Melanoplus ponderosus Scude			(Sup.)	244, 245, 256
Melanoplus regalis Dodge -			(Sup.)	197, 212, 229, 236, 244
Melanoplus scudderi (Uhler) Melanoplus scudderi scudder			(Sup.)	252 19 7, 208,221
Melanoplus sp			(Sup.)	232
	· . • ·	7	(out o	423
Melanoplus yarrowii Thos). 	- 4	(Sup.)	259
Melanotus spp		- 1		7
•	f *1. (=	3	4 P	64
		11	(Sup.)	1 1 5 232
e		5	(Sup.)	280
Melanoxantherium smithiae ((Monell),	. 8		515
		9		579
Meligethes mutatus Harold -	and any 1000 The case that the case case case case case case case cas	• 1-176.1 AND 11 6	• • •	407
Melittia satyriniformis Hbr	i	•	. =	388
		7		451
Meloidae	na qua desa 1880 ano seno seno signi qua ano seno seno seno seno, em (SE SA	. <u>)ı</u>	*** * <	501 144
Metoldae		5		271,280-281
	- **	6		352.378-379
		7		419,421,427-428
Melophagus ovinus (L.)	en 400 julio anti anti anti mili tallo fallo fallo eno entra desti della della con esta dell	- 4		175
Menopon pallidum Nitz.		- 1	/ 6 \	22
Mermiria maculipennis Rehn	Appendix and the profit of the second and the secon	· 24.	(Sup.)	197,212,229,230 236,244,245,256.
	*			257, 259, 261, 268
Mermiria maculipennis maccl	lungi Rehn	· 1550 m. 14	(Sup.)	197,205,208
3, 11.		- top- web	e to are	225, 240, 252, 253

Mermiria neomexicana (Thos.)	4 (Sup.)	212,229,244
Meromyza americana Fitch	6 (Sup.)	360
Mestobregma plattei Thos	4 (Sup.)	236
Mestobregma plattei plattei Thos.	4 (Sup.)	229, 252, 256
Mestobregma sp.	4 (Sup.)	. 197
Metator pardalinus Sauss	4 (Sup.)	
Waterenium abnorma Tan	7	240, 252, 259, 261, 268
Metoponium abnorme Lec	3 2	59
Microbracon mellitor (Say)		568
Micromyzus formosanus Takahashi	9	151
Microplectron fuscipennis Zett.	9	577
Mineola indigenella (Zell.)	1	9
	4	139
	7	370 475
	g	493
	9	581
Miridae	1	11
Miris dolobratus (L.)	7†	130
Mocis repanda F	9 3 4	. 549
Monarthropalpus buxi Laboulb)1)	92 93
		. 339
Monecphora bicincta (Say)	5 - 7	436
Monellia costalis (Fitch)	3	79
Monocesta coryli (Say)	1	16
Managhama and taking (Downson)	8	162
Monochamus notatus (Drury)	8	514
Monochamus titillator (F.)	8	514
Monocrepidius auritus (Hbst.)	5 4	280
Monocrepidius spp		118
Monomorium minimum (Buckl.)	. 2	57
	6	. 3 ⁴ 7 417
	8	524
Monomorium pharaonis (L.)		23
	2	23 57 479
	7	479
	٥	52 ¹ 4 586
Monophadnoides rubi (Harr.)	5	301
Monophadnus caryae Nort	1 7 8 9 5 9 6	560
Monoptilota pergratialis (Hulst)	6	385
Mordwilkoja vagabunda (Walsh)	6	406
Murgantia histrionica (Hahn)	7	470 12
Mulganota misorionica (mann)	1 3 4 5	83-84
4	4	149
	5	311
	6	386 387

Murgantia histrionica (Hahn) (Cont'd.) 7	420,450
Mycetophagus flexuosus Say	565 24 52 567 128 153 418 404 576
Myzocallis kahawaluokalani Kirk	517 466 575
Myzus cerasi (F.)	77 138-139 299-300 373 12 46,51,53 299 95 167
Nacerda melanura (L.)	102 348 417-418 525
Neoborus illitus Van D	487 161 90 509
Neodiprion lecontei (Fitch)	334, 335 469 514 576 576 576 334
	90 405 4-335,336 576 94 410 475 582 120

Neuroterus favosus Bass.	6	40 4
Neuroterus umbilicatus Bass	6	404
Tiota o to a table a t	8	_
Nonemi minidu To (T))† 0	513
Nezara viridula (L.)	1	154
	6	379
•	7	446
	8	500
:		562
Noctuidae	9 3 4	64-65
10000111000	7	
	1	111,120-121
	5	281-282
	9 .	549
Nodonota clypealis Horn	5 .	339
Nodonota puncticollis Say	14	171
	5	292
	g	515
Nysius ericae (Schill.)	11	144
Mysius ericae (builti.)	4	
	5	305
	6 .	379
	7	446
	g	498
Nygmia phaeorrhoea (Donov.)	2	49
and Baraco process of a second	8	509
	10	642
47 1 7 7 7 7 7		
Nymphula gyralis Hulst	7	475
Oberea bimaculata (Oliv.)	2	141
	5	301
	8	495
Oberea tripunctata (Swed.)	5	301
Obelea of thome of oa (oweds)	9	
0 1 1 1 1 1 1		582
Ochrosidia borealis (Arrow)	9	548
Odonaspis ruthae Kot.	1	8
Oecanthus nigricornis Walk.	1	. 9
Oedaleonotus enigma (Scudd.)	- 3	61
	Ţţ	116
	4 (Sup.)	189,202-203,232
	, (500,)	233, 248-249, 259
Oestris ovis L.	<u>'</u>	
		175
Olene atomaria Walk	<u> </u>	165
Olene sp.		164–165
Oligotrophus salicifolius Felt	5	337
Omiodes accepta Butl	10	648
Oncideres cingulatus (Say)	g	497
Oniscidae	i	13
Opeia obscura Thos	4 (Sup.)	197,212,218,225
Opela obscura Thos.	4 (Sup.)	
		229, 236, 237, 240, 244
		252,258,259,261,268
Opistheuria clandestina Van D	_ 8	500
Opius striativentris Gahan	· j	169
Ormenis pruinosa (Say)	7	471
Ornithodoros megnini Duges	7 6	416
OTHER MINGOLDS MESTITIE DASCS	9	584-585
	7	204-202

Ornix geminatella Pack	4 (Sup.)	135 197,212,218,221 225,229,236,252 256,259,264,268 221,222 193 197,205,206,208,209 212,215,218,229,240
Orthaea bilobata(Say)	3	244, 252, 256, 257, 264 85 85 23 648
Pachylobius picivorus Germ	1 4 4	165 7 163 518 6.15 49 158 323
Pamera longulus Dall. See Paromius longulus (Dall.). Pangaeus bilineatus (Say)	5	322
Pantomorus godmani (Crotch)	7 2 6	455 40 352,391,407 545,548
Pantomorus leucoloma (Boh.)	.8	111,120
Pantomorus peregrinus Buch	8 (Sup.)	487 528,534 364 429
Papaipema purpurifascia (G. & R.) Paraclemensia acerifoliella (Fitch) Paraidemona mimica Scudd Paralechia pinifoliella Chamb Paranthrene polistiformis Harr Paratetranychus bicolor Banks Paratetranychus citri McG	8 4 (Sup.) 4	473 513 256 166 79 513
Paratetranychus ilicis McG	9 (Sup.)	589-590 168
	9 (Sup.) 5 6	589,590-591 338 404
Paratetranychus pilosus (C. & F.)	7	75 137 437 – 438
	9 (Sup.)	589,591-593

Paratetranychus pacificus McG.	gast will take on one , Cur the flow to take	ar Mil u	
See Tetranychus pacificus.	The section of the se		
Paratetranychus sp			20
Paratetranychus uniunguis Jacobi			91 166
	5	***	336
	6		406
	7	1	470
Paratetranychus yothersi McG			- 581
Paratrechina longicornis (Latr.)			100
Paratrioza cockerelli (Sulc)			11-12
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	A Property of the Section Control of the Sect	146,170
. 4		Lange of the second sec	308
e ·	6		383
	. 7		447
	9		564
Parcoblatta pennsylvanica (Deg.) Pardalophora haldemanii (Scudd.)		(Sup.) 208,21	349
	- 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		244,252
*	5		277
Pardalophora phoenicoptera (Burm		(Sup.)	221
Parlatoria oleae Colv	2		53
Paromius longulus (Dall.)		*	14
Peropomala wyomingensis Thos		(Sup.)	197,268
Paurocephala ilicis (Ashm.)	2	(Sup. /	52
Pectinophora gossypiella (Saund.)	No. of the last	6,15
	ş <u> </u>	was a standard of the standard	48.
	3		87
•	4/5 A		320
	6		395
	7		420,459
	8	grand the strength	- 506
	9	Commission services governors	569
Pegomya hyoscyami (Panz.)	<u> </u>	many and the second	
Pegomya rubivora (Coq.)	<u> </u>		
Pelamia latipes Guen	V V MA TO COME	The second secon	555
Pelidnota punctata (L.)	6	Marie Asset B	376
Pemphigus betae (Doane)	1		
All gr	9		567
Peranabrus scabricollis (Thos.)		7 3 2- 1	116
Peregrinus maidis (Ashm.)	7	the state of the s	433
	8	Les out of the second	490
Pergandeidia trirhoda Walk	5		
	(473
10	9		581
	Mater . A T . 3	· · · · · · · · · · · · · · · · · · ·	1

Periphyllus lyropictus (Kess.) -	949645-404 0 4	1 .	17
	F and the second of the second	8 19 19 19 2	513
Periphyllus negundinis (Thos.) - Periphyllus populicola (Thos.) - Periplaneta australasiae (F.) Perkinsiella saccharicida Kirk. Petrova comstockiana (Fern.)	(a)	5 8 7 10	515 328 510 480 648 334
- 1. 1.	gPr, our min, · · · · ·	9	405 577
Phasmidae		4	165 546,572
Philaenus leucophthalmus (L.) Phlibostroma quadrimaculatum Tho	S	5 4 (Sup.)	283 197, 212, 213, 225 229, 236, 237, 240, 244 245, 252, 256, 268, 269
Phloesinus dentatus (Say)	The state of the s	7	474
Phoetalioteles nebrascensis (Tho	S.)	4 (Sup.)	218, 225, 229, 232, 236 240, 248, 252, 256, 259
Pholus satellitia pandorus Hbn.	ages with anti-field of the enty and was well the anti-	and the second s	264 , 268
Phormia sp. Phorodon humuli (Schr.) Phyllaphis fagi (L.) Phthirus pubis (L.) Phyllobius oblongus L. Phyllocoptes minutissimus Hods. Phyllocoptes oleivorus Ashm.		5 · · · · · · · · · · · · · · · · · · ·	55 151 327 584 292 404
	,	2	42
		9	560
Phyllocoptes quadripes Shim. —— Phyllophaga anxia Lec. ———— Phyllophaga balia (Say) ————— Phyllophaga calceata Lec. ———— Phyllophaga crenulata (Froel.) —		4 3 (Sup.)	164 105 105-167 117 105 105 356
Phyllophaga drakei Kby. Phyllophaga ephilida (Say) Phyllophaga fervida (F.)		3 (Sup.) 6 4	117
Phyllophaga forsteri Burm. Phyllophaga fusca (Froel.)	niệm thai ngày với lật với hiện xuật với đất đại x t	6	105 104-109 356
Phyllophaga futilis Lec	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	3 (Sup.) 3 (Sup.)	104-109 117 356
Phyllophaga ilicis (Knoch) Phyllophaga implicita Horn		3 (Sup.) 3 (Sup.)	105-108

Phyllophaga inversa Horn	3 (Sup.)	105 117
Phyllophaga lanceolata (Say)	3 4	66 125
Phyllophaga marginalis Lec. ————————————————————————————————————	3 (Sup.) 3 (Sup.) 6 3 (Sup.)	278 105 105 104-106 356 104-109
Phyllophaga spp.	6 1 (Sup.) 3 (Sup.)	356 25 105
	5 (Sup.)	111,117-118 278 351,356 425
Phyllophaga spreta Horn Phyllophaga tristis (F.) Phyllophaga villifrons Lec. Phyllotreta aerea Allard Phyllotreta albionica (Lec.) Phyllotreta pusilla Horn	3 (Sup.) 3 (Sup.) 7 5	548 105 104-107 105 445 274 143 304
Phyllotreta sinuata (Steph.)		304 422,445 143 304 445
Phyllotreta vittata discedens Weise Phyllotreta zimmermani (Crotch) Phylloxera caryaecaulis Fitch	engi kati dali avo dili hili kati	566 445 142 331 466 512
Phylloxera devastatrix Perg	9	574 141 376
Phylloxera spp	6 	141-142 375 496
Physostegania pustularia Guen. Phytomyza ilicis Curt.	1 mars and that was was delicted 5 1 2 2	323 19 52 93 169
Phytomyza minuscula Gour.	3 4 5 6 7 8	340 409 473 517

Phytophaga destructor (Say)	po milit desprime una cast and ma ma una dire desp	3	66
James P.	tal on the grade of the state of	5	112,122 - 123 271,284
		7	359 419,430
•		8	483-484
		9	552 629
Phytophaga rigidae 0.S.		2 · * · · · · * · · · · · · · · · · · ·	53 336
Phytophaga sp. Pieris rapae (L.)	10 mm and 100 mm and 1	2	45 83
Discus minifolics (Fitch)		7	450
Pineus pinifoliae (Fitch)		9	514 578
Pineus strobi (Htg.)	(\$1000 000 mm 100), ann spa mm san 1030 (\$3) 000	5 7	335 469 -4 70
· · · · · · · · · · · · · · · · · · ·	Again se	9	514
Pinnaspis aspidistrae (Sign.)	B Did pillinia gladab dia ere ere dibigip	7	19
Pissodes nemorensis Germ	194 ts	8	518
Pissodes sp		1	7
LISSOGES SCLODI (LECK)	6 and Stidded with som som was man from \$100 and	6	405 468
Pityophthorus confinis Lec.		rt I	165
Plagiodera versicolora (Laich.) -	(I) gang delph delph delph min man delph gang man man gang	5	407
Plathypena scabra (F.)	ورو من سروه و المنافعة المنافع	1	515
Platycotis vittata F	9 am no mó mộ nó ngọ độc nó nọ nó mộ	9 9	555 573
Platypsylla castoris Rits		5 1	347 6,12
		2 · · · · · · · · · · · · · · · · · · ·	45 83
		8	148
Prigodes setosus Lec.	€ mm → mm ─ 4×4 ─ mm and mm 4×4 mm	4	152
Podosesia syringae (Harr.)	V) · · · · · · · · · · · · · · · · · · ·	169
· · · · · · · · · · · · · · · · · · ·		5 6	341 410
Pogonomyrmex barbatus (F. Smith) -		7 3-~~ :	475
		5	348 524
		9	586

Pogonomyrmex barbatus var. near molefaciens Buckley 7	lugo
Pogonomyrmex occidentalis (Cress.) 4	1480 176
5	348
Pogonomyrmex spp	70
Polistes pallipes Lep. ————————————————————————————————————	57 142
Polychrosis viteana (Clem.)	140 302
e de la companya de l	375
7 8	443 496
Pomphopoea savi (Lec.)	559
Pomphopoea sayi (Lec.)	132 25 28
3	63 - 64
	271,278-279
	351,357-358 +19,425-426
g. 9	486 54 7- 548
10	631-632
Porosagrotis orthogonia (Morr.) See Agrotis orthogonia.	
Porthetria dispar (L.) 3	282
	ع9 160
· 5	325 398
7	461
ි දින්න ක්රීම්	509 571 - 572
Prenolepis imparis (Say) 2	642 57
3	101
Prenolepis sp. ——————————————————————————————————	57 359
Prionus laticollis (Drury) 8 Prionoxystus robiniae (Peck) 1	519
2	50
6 · · · · · · · · · · · · · · · · · · ·	399 509
Priophorus acericaulis (MacG.)5 Pristiphora geniculata Htg 7	332
8 _ , · · · ·	513
Prociphilus fraxini-dipetelae Essig 4 Prociphilus tessellatus (Fitch) 6	
Prodenia eridania Cram. 9 Prodenia litura (F.)7	549
Prodenia ornithogalli Guen. 8	488

Profenusa canadensis (Marlatt)	300 26 35 575 316 382 446 504 564
Protoparce sexta (Johan.)	154 307, 316 446 499, 504
Protoparce spp.	564 307, 316
	382
Protopulvinaria pyriformis (Ckll.) 2	0,446-447 499,504 564 51
Psallus seriatus (Reut.)	#8 80
3	87-88
- Σ · · · · · · · · · · · · · · · · · ·	156
6.	321 - 322 395
42 mg - 42 mg	0,459-460
ıó	640
Pseudaonidia duplex (Ckll.)	168 131
Pseudococcus brevipes (Ckll.) 6 Pseudococcus citri (Risso) 1	408 18 564
Pseudococcus comstocki (Kuw.) 6	400
7 9 10	465, 472 545, 557 634
Pseudococcus cuspidatae Rau	412
Pseudococcus spp.	472
Pseudohazis hera Harr 6	494,499
Pseudohazis sp. 6	353
Pseudopomala brachyptera (Scudd.) 4 (Sup.) Psila rosae (F.)	218,229
Psilocorsis faginella Chamb. ————————————————————————————————————	388 572 - 573
Psinidia fenestralis (Serv.) 4 (Sup.)	218
Psoloessa delicatula delicatula Scudd. 4 (Sup.)	236
Psoloessa sp. 4 (Sup.) Psorophora ciliata F	519

Psorophora columbiae D. & K		6	413 476
		8	519,520
Psorosina hammondi (Riley) Psylla pyricola (Foerst.)		5	295 77
15,110 5,110010 (100100)		5	300
		· ~ 8	485,495
71		10	633-634
Pterocyclon mali Fitch		1 †	160 140
Pterophorus periscelidactylus (F. Ptilonyssus sp.		5	302 99
Ptinus spp.		3	101
Ptinus tectus Boield.		3,	101 525
Ptychodes trilineatus (L.)	with cuty with wish with cuty was cuty cuty new new Seria	6	377
Pulex irritans L. Pulvinaria acericola Walsh & Rile		<i>3</i> 5	96 333
Pulvinaria vitis (L.)		4	164,167
		6	332 - 333 403
Pyrausta ainsliei Heinr.		7 8 (Sup.)	46 7 534
Pyrausta nubilalis (Hbn.)		3	66-67
	* ·	5	126 - 127 287 - 288
		6 . · · ·	351,363-364 419,422,432-433
		3	1490
	· excq &	8 (Sup.)	545.553-554 545.553-554
i. i.		9 (Sup.)	603-618,621-626
Pyrausta penitalis Grote	per straigh four-months should write make straight straigh	10 (Sup.) 8 (Sup.)	649 – 650 534
	-		ye dermaya in the same determinent estimation of the same section
Recurvaria apicitripunctella Cler		6	163
Reticulitermes flavipes Koll	to calle gridg, many water many many mine many digital	1,	22
		2 3	56 - 57 99 - 100
The second of th		. <u> </u>	177
		6	34 7 406
	6		479 574
Reticulitermes spp.		1	22
Reticulitermes tibialis Banks	o mills mills mile near _{many} migh _{near} mile near Gold.	3	22
	= . •	. 4	177

Reticulitermes tibialis Banks (Contid.)	314
	454 511
Rhabdocnemis obscura Bdv. 10 Rhagoletis cingulata (Loew)	648
Anagoletis cingulata (Loew)	373
Rhagoletis fausta (0.S.)	7 442 5 299
Rhagoletis pomonella (Walsh)	296
gid mod copy for many file modifier	371 1440
and the control of th	493
Rhagoletis spp.	557 299
Rhipicephalus sanguineus (Latr.)	373
autorophica of autorophical aut	2. 1. 12. ()
	414
	521 584
Rhizoglyphus hyacinthi Bdv	18
	94 8
	582
Rhizoglyphus phylloxerae Riley Rhodites dichlocerus (Harr.)	154 343
Rhodites rosae (L.)	475 473
Rhopalosiphum melliferum Hottes	340
Rhopalosiphum nymphaeae (L.)	412 74 - 75
	135,136,137 274,296
	632
Rhopalosiphum pseudobrassicae (Davis)	6,13
Rhopalosiphum sp.	88
Rhopobota naevana (Hbn.)	90
	334 405
Rhyacionia frustrana (Comst.)	404-405
Rhyacionia sp	469
Rhynchites bicolor (F.)	342
Rhynchites velatus Lec	
Romalea microptera (Beauv.)	62

Saccharosydne saccharivora Westw.	· · · · · · · · · · · · · · · · · · ·		436
Saissetia oleae (Bern.)	5	***	303 377
Saperda candida F.	g	. = AX -	493
Saperda vestita Say	5		332
Sarcophaga kellyi Ald.	5		2 75 355
	7		424
Scapteriscus acletus R. & H.		•	11
Scapteriscus spp.	. b	ware and	305
bodp vol 250 do opp	11		168
Scapteriscus vicinus Scudd.		we so the second	81
Scelio pembertoni Timb		(Sup.)	648 205, 221, 229, 264
Schistocerca americana (Drury)		(Sup.)	193-194, 256
	6	/ m	355
Schistocerca americana americana	Drury) 4	(Sup.)	205, 206, 208 212, 221, 222, 244
Schistocerca lineata Scudd.		(Sup.)	197, 208, 212, 221
			1, 232, 236, 244, 256
Schistocerca obscura (F.)		(Sup.)	244, 245, 256
Schistocerca shoshone (Thos.)		(Sup.)	232, 244, 259, 261
Schistocerca sp		(Sup.)	189,218,219
Schizomyia coryloides Walsh & Rile Schizura concinna (A. & S.)		* * * * * * * * * * * * * * * * * * *	443 437
Sciara inconstans Fitch	-		20
Scirtetica marmorata marmorata Har		(Sup.)	. 215
Scirtothrips citri (Moult.)	· 4		142
Scobicia declivis (Lec.)	4		177
Scolothrips sp.	5		340
Scolytus multistriatus Marsham			51 3-514
Scory ous martin strain	6		401
	g g		511
Scolytus quadrispinosus Say			644-645 331
Scolytus rugulosus Ratz.	`		131
	7	v* e	437
			492 556
Scutigera forceps Raf	9 2		58
Scutigerella immaculata (Newp.)	4		144
Serica similis Lewis	24 tr	to an er	157
Sesamia cretica Led			131
Sibine stimulea (Clem.)			516
Silpha bituberosa Lec			315 97
-	. 4		175
	5		347

**	V**	repair of the management of the second of th
Simulium bivittatum Mall		5 m. server and 1, 1 m. 1 m. 347, 11
Simulium sp.		
Sinha flava Forbes		130
	4	was a comment of the control of the
Siphonaptera		The the second was a second of the first of the 173 of
Sitona cylindricollis Fahraeus -		
Sitona, flavescens Marsham		
Sitotroga cerealella (Oliv.)		
		9 587
Solenopsis geminata (F.)	. ma (id) tyre (vil)	- 176
Porto Power (71)	6+	6
Salayanaia malasta (Sarr)		
borrenobers mores of (pay)		375 - 376
	*	and make the production of the contract of the first track the 479 the
Solenopsis zyloni (McCook)		
		a superior of the first the second se
		5 347, 348
18 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	to.	417 ·
	t.	524
Spharagemon bolli Scudd.	4	4 (Sup.) 256
Spharagemon bolli Scuda.		1 (000.)
Spharagemon collare (Scudd.)	\$10 mm ma top mp -1	
	19	215, 216, 218, 225, 229
in the second section is the second	i i	232,236,240,244,252
		259, 261, 264, 265, 268
Spharagemon cristatum cristatum	Scudd.	4 (Sup.) 256
Spinaragemon equale Say		4 (Sup.) 197,212,218,225
philas of any and		229, 236, 240, 244
		252 256 260 268
Sphink lineata F	**	252, 256, 260, 268
Sphink lineata F.	7	282
	7	50g
		Market Company of the State of
Spilonota ocellana (D. & S.)	-	To the second of
24 - 1141		35
Stegobium paniceum (L.)	And all the same and the same a	34.8
		417
		9 587
Stephanitis rhododendri Horv	7	170
2 cehusur ers imogogenarr norg.	77	7)10
	er Se	the state of the s
	Die Control	was a second manager of the second se
Sternochetus lapathi (L.)		17
		5 337
		6 407
		7 470
	ŧ	515
	a ³	578
Stictocephala festina (Say)		60
and accounter togathe (pay)		6
		500
		And the second s
Stigmaeus floridanus Banks		To the state of th
Stilpnotia salicis (L.)		7
. 11	unt.	10 642
e _{As} , who		

Stomatolydella infernalis Towns Stomoxys calcitrans (L.)		9 2 4 5 6 7 8	566 55 174 346 415 478 522
Strigoderma arboricola (F.)	mer land mer den den met verd 1900 gan bag met auf mer 1910 van dan met verd met dan	9 6 4 7 8 9	585 365 177 480 525 586
Sympiesis felti Crawf		貨 1 * * * * * * * * * * * * * * * * * * *	169 20 583
Syntomeida epilais jucundissima Dyar Syrbula admirabilis (Uhl.)	no ren dag vilo min tret sim timbara saga 1	8 4 (Sup.)	193,194,205 206,208,212,221,229 236,244,254-257,264 304
Systema hudsonias (Forst.)		4 6 5	156 407 304
Tabanus atratus F. ———————————————————————————————————		7866656956	478-479 523 416 416 416 416 346 416 587 295 370
Taeniopteryx pacifica Banks	and the first great trans were great Girls break	3	78 77–78 139
Taeniothrips simplex (Morison)	na tuak tula tun ipya delfundi ipya-una tua	1 2 3 4 6 7	19 52 93 167 409 474
Taniva albolineana Kearf	an ang mili tura kan ang mili Mili Mili	8 9 10 3	518 581582 640 91 166
Tarsonemus pallidus Banks	يون فيون 100 (ألمار أرماء ومد ميون 100 (100 (100 (100 (100 (100 (100 (100	5 9 3	336 578 92
		1	472

			a t
Tarsonemus sp.	may unique destruction of the state of the s	9	567
The codiplosis mosellana Gehin -	and the same and t	9	553
TOHOUTTO ODSCRIEGS T		1	23
Tenebrionidae(T.)	•	4	146
Tenebroides mauritanicus (L.)	age was 1956 and was died wise entry was with gold Aug.	7	23 481
		g	525
Tenthredinidae		6	405
Tenthredinidae	the man dark man care thing man was thing districts	2	51
Tetanops aldrichi Hendel	20 major 100° 1000 magor 2000 1000 magor 1000 (100)	4	154
		6	391
Tetraleurodes mori (Quaint.)	and the stage of t	4	168
Tetralonha sn		8	575 513
Tetralopha sp	and comparations with contrast with contrast of	4	176
		5	-1,
Tetranobia longipes (Banks)	And the same with a god and make the same and a start of the same and a start	4	2.05
Tetranychina mcdonoughi McG	- ** ** ** ** ** ** ** ** ** ** ** ** **	3	69
Tetranychina tritici (Ewing) Tetranychus pacificus McG	no case della cesa casa pago cent cipp però tipp finiti dell' relia	4 -	112,125
retranychus pacificus McG.	the party and desired the same and the same same same same same same same sam	3	132
	e jointe a service e	9 (Sup.)	589,593-594
Tetranychus sexmaculatus Riley - Tetranychus sp	programs described was party one day one and the	9 (Sup.)	43
Tetranychus sp.		3	65
Tetranychus telarius (L.)	10 from 1920 1000 tops also desp also 1000 (100)	1	6,13
	for a second of the second sec	2	65,85
	_ 17/4 + print + 4 + 11/4 + 15/4	11	122
	May a great process of the Market and the second se	9 (Sup.)	589.594-560
Tetranychus willamettei McG	Mayor make one pure page page page by the page page.	4	141
Theobaldia incidens (Thoms.)	4 454 · ·	9	558
Theobaidia incidens (Inous.)		-	5 ¹ 4 97
Thoracaphis umbellulariae Essig		7	474,
#III I pluate		9	581
Thrips tabaci Lind.	The training of the second	1	13 46
		2	
•	amprijAbash rijas Sais	2	81,84,92
		5	314
		5 6 7	352,389
			420,422,453
		8	502
Mbrzonto engiotor (M)		9 9 6	564,582
Thyanta custator (F.) Thylodrias contractus Mots	di anticono con con con con con con con con con	6	551 417
	144	9	587
Thyridopteryx ephemeraeformis (F	law.)	i	16
		6	398-399
		7	462-463
Thyrillus pacificus (Uhl.)	g g the B diplot of the contract of	jt 8	509 124
Treat trace forest tore / Ottre /		5	286

Thysanoptera	3 warness are 3	93.95 130,157,167
		290-291, 322, 332
Tineola walsinghami Busck	5 6	3 ⁴⁹ 417
Mimbio manilliamana Dabte	9	587
Tiphia popilliavora Rohw.	1 (Sup.)	27-28 26-27
Tomostethus multicinctus Rohw.	.5	160
Tortrix cockerellana Kearf. Toumeyella liriodendri (Gmel.)		400
Toumeyella numismaticum P. & McD	9	583 335
		405 470
Toumeyella parvicorne Ckll.	3	94
Toxoptera graminum Rond.	3	170 66
	7	112,124
Toxotrypana curvicauda Gerst. Trachelus tabidus (F.)		303 419,430 <u>~</u> 431
Trachyrachis kiowa Thos		218,258 205,208,212,221,236
Trachyrachis kiowa kiowa Thos.		240, 244, 256, 257, 264
		212, 225, 229, 232, 236 252, 260, 261, 264, 268
Trachyrachis sp. Tremex columba (L.)	4 (Sup.)	197.236
**	9	511 572
Trialeurodes sp. Trialeurodes vaporariorum (Westw.)	3	157 92
Triaspis curculionis (Fitch)	7 10 au an arabana]	453 23
Tribolium madens (Charp.)	. <u>2</u> 5	59 349
Trichlotinus piger (F.)	2 5 9 	58 7 410
Trichobaris trinotata (Say)		381 453
Trichogramma sp.	8	496 156
Trifidaphis phaseoli (Pass.)	4 (Sup.)	198
Trimerotropis caeruleipennis Brun Trimerotropis citrina Scudd	4 (Sup.) 4 (Sup.)	5 ₁ 1 ₁ 1 ₁ 2
Trimerotropis formosus Say. See Tropidolophus formosus Say.		
Trimerotropis gracilis Thos. Trimerotropis laticineta Sauss.		236,268 198,212,225
		236, 252, 260, 268

Trimerotropis latifasciata laticincta -		(Sup.)	244, 256
Trimerotropis melanoptera Trimerotropis pallidipennis Burm		(Sup.)	236,260 198,225,232,233 236,244,256,260,261
Trimerotropis pallidipennis pallidipenn Trimerotropis sp		(Sup.)	268 232, 248
Trimerotropis sparsa Thos. Trimerotropis strenua McN.		(Sup.)	260 260
Trimerotropis suffussus Scudd	The same of the sa	(Sup.)	260 24
Trombicula tlalzahuatl Murray			414 521
Tropaea luna L. Tropidolophus formosus Say Tuberculatus ulmifolii (Monell)		(Sup.)	59 198,236,256
Tychius griseus Schaeffer	6	tag t	511 367
Tychius picirostris (F.) Tyloderma fragariae (Riley)	9 00 00 00 00 00 00 00 00 00 00 00 00 00		545.554-555 47
	to the state of th	A trickly factor of the time.	390
Typhlocyba pomaria McA.	8 - 10 10 10 10 10 10 10 10 10 10 10 10 10	i den tegen — dig — t — ii	439 493
Typophorus viridicyaneus (Crotch)	The second secon	For the topic of the end of the e	503
Udeopsylla robusta Hald. Urbanus proteus (L.)	5	, i	349 45
Uscana semifumipennis Gir.	2		59
Vespa crabro L	9	دور خاندور دارد دروست	582
Wasmannia auropunctata (Roger)	3 5	and the second s	100 347
Wohlfahrtia vigil Walk	7		479 479
Wyeomyia smithii Coq.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	the Market State of the State o	and own to be made 443 to the
Xanthippus corallipes Hald. ————————————————————————————————————	1 mar and mark 1 mar 1 m	(Sup.)	244, 256
Xanthopastis timais (Cram.)	5	e de la sale com degli e e li sale estre significación.	341
Xenopsylla cheopis (Rothsch.) Xyletinus peltatus (Harr.) Xylocrius agassizi Lec. Xylotrechus quadrimaculatus (Hald.) Xylotrechus sagittatus (Germ.)	2	etyan in his tayunan estabatuan min	514
Xylocrius agassizi Lec. ————————————————————————————————————	3	and the second	78 463
Xylotrechus sagittatus (Germ.)	100 mm m m m m m m m m m m m m m m m m m	The second of th	349
Zenillia caesar AldZonosemata electa (Say)	8	(Sup.)	528,534 11-
Zenillia caesar Ald	3		375

The common names approved by the American Association of Economic Entomologists are indicated by the letters a.n.o. (American name, official).

		· · · · · ·
	Alfalfa caterpillar a.n.o	Colias eurytheme Bdv.
	Alfalfa snout beetle a.n.o	Brachyrhinus ligustici (L.)
	Alfalfa weevil a.n.o	Hypera postica (Gyll.)
	American dog tick a.n.o	Dermacentor variabilis (Say)
	Angoumois grain moth a.n.o	Sitotroga cerealella (Oliv.)
	Apple aphid-a.n.o	Aphis pomi Deg.
	Apple curculio a.n.o	Tachypterellus quadrigibbus (Say)
	Apple flea weevil a.n.o	Rhynchaenus pallicornis (Say)
	Apple grain aphid a.n.o	Rhopalosiphum prunifoliae (Fitch)
4	Apple leaf-curling midge	Dasyneura mali Kieff.
	Apple leaf skeletonizer a.n.o	Psorosina hammondi (Riley)
	Apple maggot a.n.c	Rhagoletis pomonella (Walsh)
	Apple twig borer a.n.o	Schistoceros hamatus (F.)
	Arborvitae aphid	Lachnus thujafiling Del G.
	Arborvitae leaf miner a.n.o	Argyresthia thuiella (Pack.)
	Argentine ant a.n.o	Iridomyrmex humilis Mayr
	Arizona ash tingid	Leptoypha minor McA.
	Armyworm a.n.o	Cirphis unipuncta (Haw.)
,	Asiatia gandan bastla an a	
	Asiatic garden beetle a.n.o	Autoserica castanea (Arrow)
	Asparagus beetle a.n.o	Crioceris asparagi (L.)
	Asparagus miner a.n.o	Agromyza simplex Loew
	Australian cockroach a.n.o	Periplaneta australasiae (F.)
	Avocado red mite a.n.o	Paratetranychus yothersi McG.
	Azalea leaf miner	Gracilaria azaleella Brants.
	Azalea scale	Eriococcus azaleae Comst.
	Bagworm a.n.o	Thursidentenses enhancement (Heir)
	Banded ash borer	Thyridopteryx ephemeraeformis (Haw.) Neoclytus caprea (Say)
	Banded cucumber beetle a.n.o	Diabrotica balteata Lec.
	Banded greenhouse thrips a.n.o	Hercinothrips femoralis (Reut.)
	Beaked willow gall	Phytophaga rigidae 0.S.
	Bean aphid a.n.o	Aphis rumicis L.
	Bean leaf beetle a.n.o	Cerotoma trifurcata (Forst.)
	Boan leaf roller a.n.o	Urbanus proteus (L.)
	Bean thrips a.n.o.——————————————————————————————————	Hercothrips fasciatus (Perg.)
	Bean weevil a.n.o	Acanthoscelides obtectus (Say)
	Bedbug a.n.o	Cimex lectularius L.
	Beech leaf skeletonizer	Psilocorsis faginella Chamb.
	Beech scale a.n.o	Cryptococcus fagi (Baer.)
	Beech woolly aphid	Phyllaphis fagi (L.)
	Beet leafhopper a.n.o	Eutettix tenellus (Bak.)
	Beet webworm a.n.o	Loxostege sticticalis (L.)
	Birch leaf miner	Fenusa pumila Klug
	Birch skeletonizer a.n.o	Bucculatrix canadensisella Chamb.
	Black carpenter ant a.n.o	Camponotus herculeanus pennsylvanias
		cus (Deg.)
	Black carpet beetle a.n.o	Attagenus piceus (Oliv.)
	Black cherry aphid a.n.o	Myzus cerasi (F.)
	Black grain stem sawfly a.n.o	Trachelus tabidus (F.)

Black-headed fireworm a.n.o	Rhopobota naevana (Hbn.)
Black-horned tree cricket a.n.o	Occanthus nigricornis Walk.
Black horsefly a.n.o.	Tabanus atratus F.
Black-legged tick a.n.o	Ixodes ricinus scapularis Say
Black pecan aphid a.n.o	Melanocallis caryaefoliae (Davis)
Black scale a.n.o.	Saissetia oleae (Bern.)
Black vine weevil a.n.o	Brachyrhinus sulcatus (F.)
Disck wine weevil a.u.o.	
Black widow spider a.n.o.	Latrodectus mactans (F.)
Blue-sided tent caterpillar	Malacosoma constricta (Stretch)
Boll weevil a.n.o.	
Bollworm a.n.o.	Heliothis armigera (Hbn.)
Booklouse a.n.oBoxelder aphid a.n.o	Troctes divinatorius (Mull.)
Boxelder aphid a.n.o	Periphyllus negundinis (Thos.)
Boxelder bug a.n.o.	Leptocoris trivittatus (Say)
Boxwood leaf miner ain.o	Monarthropalpus buxi Laboulb.
Branch and twig borer	Polycaon confertus Lec.
Bristly rose slug á.n.o	Cladius isomerus Nort.
Dristly rose sing g.m.o.	
Broad-horned flour bestle	Gnathocerus cornutus (F.)
Broad-necked root borer a.n.o	Prionus laticollis (Drury)
Bronzed birch borer a.n.o	Agrilus anxius Gory
Brown-banded cockroach	Supella supellectilium (Serv.)
Brown dog tick a.n.o	Rhipicephalus sanguineus Latr.
Brown-tail moth a.n.o	Nygmia phaeorrhoea (Donov.)
Buffalo treehopper a.n.o	Ceresa bubalus (F.)
Bulb mite a.n.o	Rhizoglyphus hyacinthi Bdv.
Describing Change hands and a	Euphoria inda (L.)
pumble flower beetle a.n.o	AULIUI TEL TITUEL (IIa)
Bumble flower beetle a.n.o	maphoria inda (n.)
· · · · · · · · · · · · · · · · · · ·	e .
Cabbage curculio a.n.o	Ceutorhynchus rapae Gyll.
Cabbage curculio a.n.o	Ceutorhynchus rapae Gyll. Autographa brassicae (Riley)
Cabbage curculio a.n.o	Ceutorhynchus rapae Gyll. Autographa brassicae (Riley) Hylemya brassicae (Bouche)
Cabbage curculio a.n.o	Ceutorhynchus rapae Gyll. Autographa brassicae (Riley) Hylemya brassicae (Bouche) Hellula undalis (F.)
Cabbage curculio a.n.o	Ceutorhynchus rapae Gyll. Autographa brassicae (Riley) Hylemya brassicae (Bouche) Hellula undalis (F.) Tenebroides mauritanicus (L.)
Cabbage curculio a.n.o	Ceutorhynchus rapae Gyll. Autographa brassicae (Riley) Hylemya brassicae (Bouche) Hellula undalis (F.) Tenebroides mauritanicus (L.) "Aonidiella aurantii (Mask.)
Cabbage curculio a.n.o	Ceutorhynchus rapae Gyll. Autographa brassicae (Riley) Hylemya brassicae (Bouche) Hellula undalis (F.) Tenebroides mauritanicus (L.) "Aonidiella aurantii (Mask.) "Lepidosaphes camelliae Hoke
Cabbage curculio a.n.o	Ceutorhynchus rapae Gyll. Autographa brassicae (Riley) Hylemya brassicae (Bouche) Hellula undalis (F.) Tenebroides mauritanicus (L.) "Aonidiella aurantii (Mask.) "Lepidosaphes camelliae Hoke Pseudaonidia duplex (Ckll.)
Cabbage curculio a.n.o	Ceutorhynchus rapae Gyll. Autographa brassicae (Riley) Hylemya brassicae (Bouche) Hellula undalis (F.) Tenebroides mauritanicus (L.) "Aonidiella aurantii (Mask.) "Lepidosaphes camelliae Hoke Pseudaonidia duplex (Ckll.) Prionoxystus robiniae (Peck)
Cabbage curculio a.n.o.——————————————————————————————————	Ceutorhynchus rapae Gyll. Autographa brassicae (Riley) Hylemya brassicae (Bouche) Hellula undolis (F.) Tenebroides mauritanicus (L.) "Aonidiella aurantii (Mask.) "Lepidosaphes camelliae Hoke Pseudaonidia duplex (Ckll.) Prionoxystus robiniae (Peck) Ligyrus gibbosus (Deg.)
Cabbage curculio a.n.o.——————————————————————————————————	Ceutorhynchus rapae Gyll. Autographa brassicae (Riley) Hylemya brassicae (Bouche) Hellula undalis (F.) Tenebroides mauritanicus (L.) "Aonidiella aurantii (Mask.) "Lepidosaphes camelliae Hoke Pseudaonidia duplex (Ckll.) Prionoxystus robiniae (Peck) Ligyrus gibbosus (Deg.) Psila rosae (F.)
Cabbage curculio a.n.o.——————————————————————————————————	Ceutorhynchus rapae Gyll. Autographa brassicae (Riley) Hylemya brassicae (Bouche) Hellula undalis (F.) Tenebroides mauritanicus (L.) "Aonidiella aurantii (Mask.) "Lepidosaphes camelliae Hoke Pseudaonidia duplex (Ckll.) Prionoxystus robiniae (Peck) Ligyrus gibbosus (Deg.) Psila rosae (F.) Cecidomyia catalpae (Comst.)
Cabbage curculio a.n.o.——————————————————————————————————	Ceutorhynchus rapae Gyll. Autographa brassicae (Riley) Hylemya brassicae (Bouche) Hellula undalis (F.) Tenebroides mauritanicus (L.) "Aonidiella aurantii (Mask.) "Lepidosaphes camelliae Hoke Pseudaonidia duplex (Ckll.) Prionoxystus robiniae (Peck) Ligyrus gibbosus (Deg.) Psila rosae (F.) Cecidomyia catalpae (Comst.) Ceratomia catalpae (Bdv.)
Cabbage curculio a.n.o.——————————————————————————————————	Ceutorhynchus rapae Gyll. Autographa brassicae (Riley) Hylemya brassicae (Bouche) Hellula undalis (F.) Tenebroides mauritanicus (L.) "Aonidiella aurantii (Mask.) "Lepidosaphes camelliae Hoke Pseudaonidia duplex (Ckll.) Prionoxystus robiniae (Peck) Ligyrus gibbosus (Deg.) Psila rosae (F.) Cecidomyia catalpae (Comst.) Ceratomia catalpae (Bdv.) Ctenocephalides felis (Bouche)
Cabbage curculio a.n.o.——————————————————————————————————	Ceutorhynchus rapae Gyll. Autographa brassicae (Riley) Hylemya brassicae (Bouche) Hellula undalis (F.) Tenebroides mauritanicus (L.) "Aonidiella aurantii (Mask.) "Lepidosaphes camelliae Hoke Pseudaonidia duplex (Ckll.) Prionoxystus robiniae (Peck) Ligyrus gibbosus (Deg.) Psila rosae (F.) Cecidomyia catalpae (Comst.) Ceratomia catalpae (Bdv.)
Cabbage curculio a.n.o.——————————————————————————————————	Ceutorhynchus rapae Gyll. Autographa brassicae (Riley) Hylemya brassicae (Bouche) Hellula undalis (F.) Tenebroides mauritanicus (L.) "Aonidiella aurantii (Mask.) "Lepidosaphes camelliae Hoke Pseudaonidia duplex (Ckll.) Prionoxystus robiniae (Peck) Ligyrus gibbosus (Deg.) Psila rosae (F.) Cecidomyia catalpae (Comst.) Ceratomia catalpae (Bdv.) Ctenocephalides felis (Bouche)
Cabbage curculio a.n.o.——————————————————————————————————	Ceutorhynchus rapae Gyll. Autographa brassicae (Riley) Hylemya brassicae (Bouche) Hellula undalis (F.) Tenebroides mauritanicus (L.) "Aonidiella aurantii (Mask.) "Lepidosaphes camelliae Hoke Pseudaonidia duplex (Ckll.) Prionoxystus robiniae (Peck) Ligyrus gibbosus (Deg.) Psila rosae (F.) Cecidomyia catalpae (Comst.) Ceratomia catalpae (Bdv.) Ctenocephalides felis (Bouche) Bovicola bovis (L.) Phloesinus dentatus (Say)
Cabbage curculio a.n.o.——————————————————————————————————	Ceutorhynchus rapae Gyll. Autographa brassicae (Riley) Hylemya brassicae (Bouche) Hellula undalis (F.) Tenebroides mauritanicus (L.) "Aonidiella aurantii (Mask.) "Lepidosaphes camelliae Hoke Pseudaonidia duplex (Ckll.) Prionoxystus robiniae (Peck) Ligyrus gibbosus (Deg.) Psila rosae (F.) Cecidomyia catalpae (Comst.) Ceratomia catalpae (Bdv.) Ctenocephalides felis (Bouche) Bovicola bovis (L.) Phloesinus dentatus (Say) Parlatoria pergandii Comst.
Cabbage curculio a.n.o.——————————————————————————————————	Ceutorhynchus rapae Gyll. Autographa brassicae (Riley) Hylemya brassicae (Bouche) Hellula undalis (F.) Tenebroides mauritanicus (L.) "Aonidiella aurantii (Mask.) "Lepidosaphes camelliae Hoke Pseudaonidia duplex (Ckll.) Prionoxystus robiniae (Peck) Ligyrus gibbosus (Deg.) Psila rosae (F.) Cecidomyia càtalpae (Comst.) Ceratomia catalpae (Bdv.) Ctenocephalides felis (Bouche) Bovicola bovis (L.) Phloesinus dentatus (Say) Parlatoria pergandii Comst. Cingilia catenaria (Drury)
Cabbage curculio a.n.o.——————————————————————————————————	Ceutorhynchus rapae Gyll. Autographa brassicae (Riley) Hylemya brassicae (Bouche) Hellula undalis (F.) Tenebroides mauritanicus (L.) "Aonidiella aurantii (Mask.) "Lepidosaphes camelliae Hoke Pseudaonidia duplex (Ckll.) Prionoxystus robiniae (Peck) Ligyrus gibbosus (Deg.) Psila rosae (F.) Cecidomyia càtalpae (Comst.) Ceratomia catalpae (Bdv.) Ctenocephalides felis (Bouche) Bovicola bovis (L.) Phloesinus dentatus (Say) Parlatoria pergandii Comst. Cingilia catenaria (Drury) Scapteriscus vicinus Scudd.
Cabbage curculio a.n.o.——————————————————————————————————	Ceutorhynchus rapae Gyll. Autographa brassicae (Riley) Hylemya brassicae (Bouche) Hellula undalis (F.) Tenebroides mauritanicus (L.) "Aonidiella aurantii (Mask.) "Lepidosaphes camelliae Hoke Pseudaonidia duplex (Ckll.) Prionoxystus robiniae (Peck) Ligyrus gibbosus (Deg.) Psila rosae (F.) Cecidomyia catalpae (Comst.) Ceratomia catalpae (Bdv.) Ctenocephalides felis (Bouche) Bovicola bovis (L.) Phloesinus dentatus (Say) Parlatoria pergandii Comst. Cingilia catenaria (Drury) Scapteriscus vicinus Scudd. Rhagoletis cingulata (Loew)
Cabbage curculio a.n.o.——————————————————————————————————	Ceutorhynchus rapae Gyll. Autographa brassicae (Riley) Hylemya brassicae (Bouche) Hellula undalis (F.) Tenebroides mauritanicus (L.) "Aonidiella aurantii (Mask.) "Lepidosaphes camelliae Hoke Pseudaonidia duplex (Ckll.) Prionoxystus robiniae (Peck) Ligyrus gibbosus (Deg.) Psila rosae (F.) Cecidomyia catalpae (Comst.) Ceratomia catalpae (Bdv.) Ctenocephalides felis (Bouche) Bovicola bovis (L.) Phloesinus dentatus (Say) Parlatoria pergandii Comst. Cingilia catenaria (Drury) Scapteriscus vicinus Scudd. Rhagoletis cingulata (Loew) Grapholitha packardi Zell.
Cabbage curculio a.n.o.——————————————————————————————————	Ceutorhynchus rapae Gyll. Autographa brassicae (Riley) Hylemya brassicae (Bouche) Hellula undalis (F.) Tenebroides mauritanicus (L.) "Aonidiella aurantii (Mask.) "Lepidosaphes camelliae Hoke Pseudaonidia duplex (Ckll.) Prionoxystus robiniae (Peck) Ligyrus gibbosus (Deg.) Psila rosae (F.) Cecidomyia catalpae (Comst.) Ceratomia catalpae (Bdv.) Ctenocephalides felis (Bouche) Bovicola bovis (L.) Phloesinus dentatus (Say) Parlatoria pergandii Comst. Cingilia catenaria (Drury) Scapteriscus vicinus Scudd. Rhagoletis cingulata (Loew) Grapholitha packardi Zell. Aspidiotus forbesi Johns.
Cabbage curculio a.n.o.——————————————————————————————————	Ceutorhynchus rapae Gyll. Autographa brassicae (Riley) Hylemya brassicae (Bouche) Hellula undalis (F.) Tenebroides mauritanicus (L.) "Aonidiella aurantii (Mask.) "Lepidosaphes camelliae Hoke Pseudaonidia duplex (Ckll.) Prionoxystus robiniae (Peck) Ligyrus gibbosus (Deg.) Psila rosae (F.) Cecidomyia catalpae (Comst.) Ceratomia catalpae (Bdv.) Ctenocephalides felis (Bouche) Bovicola bovis (L.) Phloesinus dentatus (Say) Parlatoria pergandii Comst. Cingilia catenaria (Drury) Scapteriscus vicinus Scudd. Rhagoletis cingulata (Loew) Grapholitha packardi Zell. Aspidiotus forbesi Johns. Dermanyssus gallinae (Deg.)
Cabbage curculio a.n.o.——————————————————————————————————	Ceutorhynchus rapae Gyll. Autographa brassicae (Riley) Hylemya brassicae (Bouche) Hellula undalis (F.) Tenebroides mauritanicus (L.) "Aonidiella aurantii (Mask.) "Lepidosaphes camelliae Hoke Pseudaonidia duplex (Ckll.) Prionoxystus robiniae (Peck) Ligyrus gibbosus (Deg.) Psila rosae (F.) Cecidomyia catalpae (Comst.) Ceratomia catalpae (Bdv.) Ctenocephalides felis (Bouche) Bovicola bovis (L.) Phloesinus dentatus (Say) Parlatoria pergandii Comst. Cingilia catenaria (Drury) Scapteriscus vicinus Scudd. Rhagoletis cingulata (Loew) Grapholitha packardi Zell. Aspidiotus forbesi Johns. Dermanyssus gallinae (Deg.) Eutrombicula alfreddugesi (Oud.)
Cabbage curculio a.n.o.——————————————————————————————————	Ceutorhynchus rapae Gyll. Autographa brassicae (Riley) Hylemya brassicae (Bouche) Hellula undalis (F.) Tenebroides mauritanicus (L.) "Aonidiella aurantii (Mask.) "Lepidosaphes camelliae Hoke Pseudaonidia duplex (Ckll.) Prionoxystus robiniae (Peck) Ligyrus gibbosus (Deg.) Psila rosae (F.) Cecidomyia càtalpae (Comst.) Ceratomia catalpae (Bdv.) Ctenocephalides felis (Bouche) Bovicola bovis (L.) Phloesinus dentatus (Say) Parlatoria pergandii Comst. Cingilia catenaria (Drury) Scapteriscus vicinus Scudd. Rhagoletis cingulata (Loew) Grapholitha packardi Zell. Aspidiotus forbesi Johns. Dermanyssus gallinae (Deg.) Eutrombicula alfreddugesi (Oud.) Blissus leucopterus (Say)
Cabbage curculio a.n.o.——————————————————————————————————	Ceutorhynchus rapae Gyll. Autographa brassicae (Riley) Hylemya brassicae (Bouche) Hellula undalis (F.) Tenebroides mauritanicus (L.) "Aonidiella aurantii (Mask.) "Lepidosaphes camelliae Hoke Pseudaonidia duplex (Ckll.) Prionoxystus robiniae (Peck) Ligyrus gibbosus (Deg.) Psila rosae (F.) Cecidomyia càtalpae (Comst.) Ceratomia catalpae (Bdv.) Ctenocephalides felis (Bouche) Bovicola bovis (L.) Phloesinus dentatus (Say) Parlatoria pergandii Comst. Cingilia catenaria (Drury) Scapteriscus vicinus Scudd. Rhagoletis cingulata (Loew) Grapholitha packardi Zell. Aspidiotus forbesi Johns. Dermanyssus gallinae (Deg.) Eutrombicula alfreddugesi (Oud.) Blissus leucopterus (Say)

	•
Chrysanthemum aphid a.n.o Chrysanthemum gall midge a.n.o Chrysanthemum lacebug Citwa woolybug a.n.o	Macrosiphoniella sanborni (Gill.) Diarthronomyia hypogaea (Loew) Corythucha marmorata (Uhl.)
Citrus mealybug a.n.o.	Pseudococcus citri (Risso)
Citrus red nite a.n.o	Paratetranychus citri McG.
Citrus rust mite a.n.o	Phyllocoptes oleivorus Ashm.
Citrus thrips a.n.o	. Scirtothrips citri (Moult.)
Citrus whitefly a.n.o.	Dialeurodes citri (Ashm.)
Clear Lake gnat	. Chaoborus lacustris Freeborn
Clover aphid a.n.o.	Anuraphis bakeri (Cowen)
Clover hay worm a.n.o.	Hypsopygia costalis (F.)
Clover head weevil a.n.o.	Tychius griseus Schaeffer
Clover leaf weevil a.n.o	Hypera punctata (F.)
Clover mite a.n.o	Bryobia praetiosa Koch
Clover root borer a.n.o.	Hylastinus obscurus (Marsham)
Clover seed chalcid a.n.o.	Bruchophagus gibbus (Boh.)
Clover seed midge a.n.o	Dasyneura leguminicola (Lint.)
Coast tent caterpillar	Malacosoma pluvialis (Dyar)
Codling moth a.n.o.	Composing providing (Lyar)
Coffee Property 1	
Coffee-bean weevil a.n.o	Araccerus fasciculatus (Deg.)
Colorado potato beetle a.n.o	Leptinotarsa decemlineata (Say)
Columbine borer a.n.o.	Papaipema purpurifascia (G. & R.)
Columbine leaf miner a.n.o	Phytomyza minuscula Gour.
Common powder-post beetle	
Common red spider a.n.o	Tetranychus telarius (L.)
Constock's mealybug a.n.o	Pseudococcus comstocki (Kuw.)
Cooley's spruce gall	Adelges cooleyi (Gill.)
Corn ear worm a.n.o.	Heliothis armigera (Hon.)
Corn flea beetle a.n.o	Chaetocnema pulicaria Melsh.
Corn lanternfly	Peregrinus maidis (Ashm.)
Corn leaf aphid a.n.o.	Aphis maidis Fitch
Corn rootworm a.n.o	Diabrotica longicornis (Say)
Corn root webworn a.n.o	Crambus caliginosellus Clem.
Corn sap beetle a.n.o	Carpophilus dimidiatus (F.)
Corn silk beetle a.n.o	Luperodes brunneus Crotch
Cotton flea hopper a.n.o	Psallus seriatus (Reut.) Bucculatrix thurberiella Busck
Cotton flea hopper a.n.o	
Cotton leaf worm a.n.o.	Alabama argillacea (Hbn.)s.) Dysdercus suturelius (H. s.)
Cottonwood leaf beetle a.n.o	Chrysonela scripta F.
Cottonwood scale	Chionaspis ortholobis Const.
Cottony-cushion scale a.n.o	Icerya purchasi Mask.
Cottony maple scale a.n.o	Pulvinaria vitis (L.)
Coulee cricket a.n.o	Peranabrus scabricollis (Thos.)
Cowpea curculio a.n.o	Chalcodermus aeneus Boh.
Crab louse a.n.o.	Phthirus pubis (L.)
Crapemyrtle aphid a.n.o	.Myzocallis kahawaluokalani Kirk.
Current fruitfly a.n.o	Epochra canadensis Loew
Cyclamen mite a.n.o	Tarsonemus pallidus Banks
Deodar weevil a.n.o	Pissodes nemorensis Germ.
Diamondback moth a.n.o	Plutella maculipennis (Curt.)
Dog flee a.n.o.	Ctenocephalides canis (Curt.)
208 TTOWN 11 0 0 0	- Company and Company (Aut 18)

Dogwood club gall	
Dried fruit beetle a.n.o	
Drug store weevil a.n.o Stegobium paniceum (L.) Ear tick a.n.o Ornithodoros megnini Duges	
Ear tick a.n.o Ornithodoros megnini Duges	
Ear tick a.n.o Ornithodoros megnini Duges Eastern spruce gall aphid a.n.o Adelges abietis (L.)	
Eastern spruce gall aphid a.n.o Adelges abietis (L.)	
Eastern tent caterpillar a.n.o Malacosoma americana (F.)	
Eggplant lacebug a.n.o Gargaphia solani Heid,	
Eight-spotted forester a.n.o Alypia octomaculata (F.)	
Elm cockscomb gall a.n.o Colopha.ulmicola (Fitch)	
Elm flea beetle Altica ulmi (Woods)	1
Elm leaf beetle a.n.o Galerucella xanthomelaena (Schr	,)
Elm leaf miner a.n.o	
Elm sawfly a.n.o Cimbex americana Leach	
Elm scurfy scale a.n.o Chionaspis americana Johns.	
Elm spanworm a.n.o Ennomos subsignarius (Hon.)	
English grain aphid a.n.o Macrosiphum granarium (Kby.)	
Euonymus scale a.n.o Chionaspis euonymi Comst.	
European chicken flea a.n.o Coratophyllus gallinae Schr.	
European corn borer a.n.o Pyrausta nubilalis (Hbn.)	
European earwig a.n.o Forficula auricularia L.	
European elm scale a.n.o Gossyparia spuria (Mod.)	
European fruit lecanium a.n.o Lecanium corni Bouche	
European pine shoot moth a.n.o Rhyacionia buoliana (Schiff.)	
European red mite a.n.o Paratetranychus pilosus (C. & F	.)
European spruce sawfly a.n.o Diprion polytomum (Htg.)	
European wheat stom sawfly a.n.o Cephus pygmaeus (L.)	
European willow leaf beetle Plagiodera versicolora (Laich.)	
Eye-spotted budmoth a.n.o Spilonota ocellana (D. & S.)	
Fall armyworm a.n.o Laphygma frugiperda (A. & S.)	
Fall cankerworm a.n.o Alsophila pometaria (Harr.)	
Fall webworm a.n.o Hyphantria cunea (Drury)	
False chinch bug a.n.o Nysius ericae (Schill.)	
False cottony maple scale Pulvinaria accricola Walsh & Ri	Ley
Fern scale a.n.o	
Field cricket a.n.o Gryllus assimilis F.	
Field cricket a.n.o Gryllus assimilis F. Fig scale a.n.o Lepidosaphes ficus (Sign.)	
Fir flatheaded borer a.n.o Melanophila fulvoguttata drummo	ibr
(Kby.)	
Flatheaded apple tree borer a.n.o Chrysobothris femorata (Oliv.)	
Florida red scale a.n.o Chrysomphalus aonidum (L.)	
Flower thrips a.n.o Frankliniella tritici (Fitch)	
Forest tent caterpillar a.n.o Malacosoma disstria Hbn.	
Fowl tick a.n.o Argas miniatus Koch	
Fruit tree leaf roller a.n.o Cacoecia argyrospila (Walk.)	
Fuller's rose beetle a.n.o Pantomorus godmani (Crotch)	
The same of the sa	
Garden centipede a.n.o Scutigerella immaculata (Newp.)	
Garden flea hopper a.n.o. Halticus citri (Ashm.)	
Garden webworm a.n.o Loxostege similalis (Guen.)	

	77 \
German cockroach a.n.o	Blattella germanica (L.)
Giant hornet a.n.o.	Vespa crabro L.
Gladiolus thrips a.n.o	Taeniothrips, simplex (Morison)
Goldenglow aphid a.n.o	Macrosiphum rudbeckiae (Fitch)
Gooseberry fruitworm a.n.o	Zophodia convolutella (Hbn.)
Grape berry moth a.n.o.	Polychrosis viteana (Clem.)
Grape colaspis a.n.o	Colaspis brunnea (F.)
Grape floa beetle a.n.o	Altica chalybea Ill.
Grape leaf folder a.n.o	Desmia funeralis (Hbn.)
orabe fest forder 8. 11.00.	
Grape leafhopper a.n.o	Erythroneura comes (Say)
Grape leaf skeletonizer a.n.o.	Harrisina americana (Guer.)
Grape phylloxera a.n.o	Phylloxera vitifoliae (Fitch)
Grape plume moth a.n.o	Pterophorus periscelidactylus Fitch
Grape root borer a.n.o	Paranthrene polistiformis (Harr.)
Grape rootworm a.n.o	Fidia viticida Walsh
Grape sawfly a.n.o	Erythraspides pygmaea (Say)
Grape thrips	Drepanothrips reuteri Uzel
Grape trunk borer	Clytoloptus albofasciatus (Lap.)
Grapevine aphid a.n.o	
Crepevine aprid a.n.o.	Aphis illinoisensis Shim.
Grass thrips a.n.o	Anaphothrips obscurus (Mull.)
Great Basin tent caterpillar	Malacosoma fragilis (Stretch)
Green bug a.n.o.	Toxoptera graminum Rond.
Green citrus aphid	Aphis spiraccola Patch
Green clover worm a.n.o	Plathypena scabra (F.)
Green June beetle a.n.o	Cotinis mitida (L.)
Green peach aphid a.n.o	Myzus persicae (Sulz.)
Green stinkbug a.n.o.	Acrosternum hilare (Say)
Greenhouse leaf tier a.n.o	Phlyctaenia rubigalis (Guen.)
Greenhouse stone cricket a.m.o.	Tachycines asynamorus Adel.
Greenhouse whitefly a.n.o	Trialeurodes vaporariorum (Westw.)
Green-striped maple worm a.n.o	Anisota rubicunda F.
Gulf coast tick a.n.o.	Amblyomma maculatum Koch
Gypsy moth a.n.o.	Porthetria dispar (L.)
	g +5' +
Hackberry nipple gall a.n.o	Pachypsylla celtidis-mamma Riley
Hairy chinch bug a.n.o.	Blissus, hirtus Montd.
Harloquin bug a.n.o	Murgantia histrionica (Hahn)
Hawaiian beet webworn a.n.o	Hymenia fascialis (Cram.)
Hawthorne leaf miner	Profenusa canadensis (Marlatt)
Healock borer a.n.o	Mclanophila fulvoguttata (Harr.)
Hessian fly a.n.o.	Phytophaga destructor (Say)
Hickory bark beetle a.n.o	Scolytus quadrispinosus Say
Hickory leaf stem gall	
History Tear Sten garran	Phylloxers caryaccaulis Fitch
Hickory phylloxera	Phylloxera caryaccaulis Fitch
Hickory shuck worm a.n.o	Laspeyrasia caryana (Fitch)
Hickory tussock moth a.n.o	Halisidota caryae (Harr.)
Hog louse c.n.o	Hachatopinus suis (L.) (Changed to
	Haematopinus adventicius Neum.)
Holly leaf miner a.n.o	Phytomyza ilicis Curt.
Hop aphid a.n.o	Phorodon humuli (Schr.)
Horn fly a.n.o.	Thosograms (Ochita)
HOLH ITA STORM	
Horned oak gall	Haematobia irritans L. Andricus cornigerus O.S.

	(2°)
House centipede a.n.o	Scutigera forceps Raf.
House cricket a.n.o	Gryllus:domesticus L.
Howard's scale a.n.o	Aspidiotus howardi Ckll.
noward a source as in o	septatotas nowatar ourre
Imbricated snout beetle a.n.o	Epicaerus imbricatus (Say)
Imported cabbage worm a.n.o	Pieris rapae (L.)
Imported current worm a.n.o	Pteronidea ribesii (Scop.)
Imported willow leaf beetle	Plagiodera versicolora (Laich.)
Indian-meal moth a.n.o.	Plodia interpunctella (Hbn.)
Introduced pine sawfly a.n.o	Diprion simile (Htg.)
Iris borer a.n.o.	Macronoctua onusta Grote
A CONTRACTOR OF THE STATE OF TH	California () ()
Japanese beetle a.n.o	Popillia japonica Newm.
Japanese maple scale	Leucaspis japonica Ckll.
Juniper scale	Diaspis carueli Targ.
Juniper webworm	Dichomeris marginellus F.
Larch casebearer a.n.o	Coleophora laricella Hbn.
Larch sawfly a.n.o	Lygaeonematus erichsonii (Htg.)
Larger canna leaf roller a.n.o	Calpodes ethlius (Cram.)
Larger elm leaf beetle	Monocesta coryli (Say)
Lead cable borer a.n.o.	Scobicia declivis (Lec.)
Loaf crumpler a.n.o.	Mincola indigenella (Zell.)
Leaf-footed bug a.n.o	Leptoglossus phyllopus (L.)
Lesser apple worm a.n.o	Grapholitha prunivora (Walsh)
Lesser cornstalk borer a.n.o	Elasmopalpus lignosellus (Zell.)
	Gonopia pictipes (G. & R.)
Lilac borer a.n.o.	Podosesia syringac (Harr.)
Lima bean vine borer a.n.o.	Monoptilota pergratialis (Hulst)
Linden bark borer	Chrysoclista linneella Glerck
Linden borer a.n.o	Saperda vostita Say
Linden wart gall	Cecidomyia verrucicola O.S.
Locust borer a.n.o.	Cylleno robiniae (Forst.)
Locust leaf miner a.n.o	Chalepus dorsalis Thunb.
Lone star tick a.n.o.	Amblyonma americanum (L.)
Long-nosed cattle louse	Linognathus vituli L.
20115 1105ca cc., 010 10 10tisc	Parity Office A T Oct T T TO
Magnolia scale a.n.o	Neolecanium cornuparvum (Thro)
Maple bladder gall	Phyllocoptes quadripes Shim.
Maple leaf cutter a.n.o	Paraclemensia acerifoliella (Fitch)
Marria 3 - C mb and b and and	Caulacampus acericaulis MacG.
Maple leaf stem boror	(Changed to Priophorus acericaulis
	(MacG.))
Manday mlant human a n	Miris dolobratus (L.)
Meadow plant bug a.n.o	
Mealy flata	Ormenis pruinosa (Say)
Moaly plum aphid a.n.o	Hyalopterus arundinis (F.)
Melon aphid a.n.o	Aphis gossypii Glov.
Mexican bean beetle a.n.o.	Epilachna varivestis Muls.
Mexican fruitfly a.n.o	Anastrepha ludens (Locw)
Mint flea bootle	Longitarsus waterhousei Kutsch.
Monarch butterfly a.n.o	Danaus menippe (Hon.)
Mormon cricket a.n.o.	Anabrus simplex Hald.

	8
Mossy rose gall a.n.o	Rhodites rosae (L.)
Mourning-cloak butterfly a.n.o	Hamadryas antiopa (L.)
Mourning-cloak butterity a.n.o.	
Mulberry whitefly a.n.o	Tetraleurodes mori (Quaint.)
Native clm bark beetle a.n.o	Hylurgopinus rufipes (Eich.)
Nogro bug a.n.o	Allocoris pulicaria (Germ.)
New York weevil a.n.o	Ithycerus noveboracensis (Forst.)
Northern cattle grub a.n.o	Hypoderma bovis (Dog.)
	0 2
Northern nole cricket a.n.o	Gryllotalpa hexadactyla Perty
Norway naple aphid a.n.o	Periphyllus lyropictus (Kess.)
Nose botfly a.n.o	Gasterophilus haemorrhoidalis (L.)
Oak button gall	Neuroterus umbilicatus Bass.
Oak lacebug	Corythucha ciliata (Say)
	Phyllobius oblongus L.
Obscure scale a.n.o	Chrysomphalus obscurus (Comst.)
Oleander scale a.n.o	Aspidiotus hederae (Vallot)
Olive scale	Parlatoria oleae Colv.
Onion maggot a.n.o	Hylemya antiqua (Meig.)
Onion plant bug	Labopidea allii Knight
Onion thrips a.n.o	
Onion turips 8.00.	Thrips tobaci Lind.
Orange-striped oak worm a.n.o	Anisota senatoria (A. & S.)
Oriental beetle a.n.o	Anomala orientalis Wtrh.
, Oriental cockroach a.n.o	Blatta orientalis L.
Oriental fruit noth a.n.o	Grapholitha molesta (Busck)
Oriental rat flea a.n.o	Xenopsylla cheopis (Rothsch.)
Oystershell scale a.n.o	Lepidosaphes ulni (L.)
o's a filt arrott posto cierro	notition officion arrit (ne)
Desific cost tide on a	Danma acutan anaidantalia Nama
Pacific coast tick a.n.o	Dermacentor occidentalis Neum.
Pacific grass bug	Thyrillus pacificus (Uhl.)
Pacific mite	Tetranychus pacificus McG.
Pale western cutworm a.n.o	Porosagrotis orthogonia (Morr.)
	(Changed to Agrotis orthogonia Morr.)
Pandora moth a.n.o	Coloradia pandora Blake
Papaya fruitfly a.n.aPapaya webworn	Toxotrypana curvicauda Gerst. Homalopalpia dalera Dyar
Papaya webworn	Honalopalpia dalera Dyar
Pea aphid a.n.o.	Macrosiphum pisi (Kltb.)
Pea weevil a.n.o	Bruchus pisorum (L.)
Peach borer a.n.o.	Conopia exitiosa (Say)
Peach twig borer a.n.o	Amarsia lineatella Zell.
Teach owing bords and a management of the control o	
Pear leaf blister mite a.n.o	Eriophyes pyri Pgst.
Pear leaf rolling midge	Dasyneura pyri (Bouche)
Pear psylla a.n.o	Psylla pyricola (Foerst.)
Pear slug a.n.c.	Caliroa cerasi (L.)
Pear thrips a.n.o	Tachiothrips inconsequens (Uzel)
Pecan carpenter worm a.n.o	Cossula magnifica (Stkr.)
Pecan leaf casebearer a.n.o	Acrobasis juglandis (LeB.)
Pecan nut casebearer a.n.o	Acrobasis caryae Grote
recan nut cascuearer a.n.o.	
Fecan phylloxera a.n.o	Phylloxora devastatrix Perg.
Pecan weevil a.n.o	Curculio caryae (Horn)
Pepper maggot	Zonosemata electa (Say)
Pepper weevil a.n.o.	Anthonomus eugenii Cano
Periodical cicada a.n.o	Magicicada septendecin (L.)
	*

	• \			
	Phlox plant bug	45.2	Lopidea davisi Knight	
	Pickleworm a.n.o.		Diaphania nitidalis (Stoll)	
	Pigeon tremex a.n.o		Tremex columba (L.)	
	rigeon (remex a.m.o.		the state of the s	
	Pine bark aphid a.n.o.		Pineus strobi (Htg.)	
	Pine needle scale a.n.o		Chionaspis pinifoliae (Fitch)	
	Pineapple mealybug a.n.o		Pseudococcus brevipes (Ckll.)	
	Pink bollworm a.n.o		Pectinophora gossypiella (Saund.)	
	TIME DOLLMOKE STORES			
	Pistol casebearer a.n.o		Coleophora malivorella Riley	
	Pitch twis moth a.n.o.		Petrova comstockiana (Fern.)	
	Plains false wireworn a.n.o		Eleodes opaca (Say)	
t	Plum curculio a.n.o.		Conotrachelus nenuphar (Hbst.)	
	Diam man and a n			
	Plum gouger a.n.o.		Anthonomus scutellaris Lec.	
	Plum leafhopper a.n.o		Macropsis trimaculata (Fitch)	
	Polka-dot wasp moth		Syntomeida epilais Walk.	
,	Poplar and willow borer a.n.o		Sternochetus, lapathi (L.)	
	Poplar tent maker		Ichthyura, inclusa Hbn.	
	Poplar vacabond aphid a.n.o		Mordwilkoja vagabunda (Walsh)	
	Potato aphid a.n.o.		Macrosiphum solanifolii (Ashm.)	
	Potato flea beetle a.n.o		Epitrix cucumeris (Harr.)	
	Potato leafhopper a.n.o		Empoasca fabae (Harr.)	
	Potato psyllid		Paratrioza cockerelli (Sulc)	
	Potato stalk borer a.n.o	'	Trichobaris trinotate (Say)	
	Part to be to be the control of the			
	Potato tuber worm a.n.o		Gnorimoschema operculella (Zeil.)	
	Promethea moth a.n.o		Callosamia promethea (Prury)	
	Pubescent oak kermes		Kermes pubescens Bogue	
	Purple scale a.n.o.		Lepidosaphes beckii (Newm.)	
	Putnam's scale a.n.o.		Aspidiotus ancylus (Putn.)	
	Pyriform scale a.n.o.		Protopulvinaria pyriformis (Ckll.)	
	ayr rroth octive ciaire of		TIO OCCUTATION TO THE CANTES CANTES	
				,
	Rabbit tick a.n.o.		Haemaphysalis leporis-palustris Pac	7
	Raisin moth a.n.o		Ephestia figulilella Greg.	
**	Raspberry cano boror a.n.o		Oberea bimaculata (Oliv.)	
	Raspberry fruitworm a.n.o		Byturus unicolor Say	
	Raspberry root borer a.n.o		Bembecia marginata (Harr.)	
	Description of the second of t			
	Raspberry sawfly a.n.o		Monophadnoides rubi (Harr.)	
	Red-backed cutworm a.m.o.		Euxoa ochrogaster (Guen.)	
	Rod elm bark weevil a.n.o		Magdalis armicollis (Say)	
	Red-headed pine sawfly a.n.o		Neodiprion lecontei (Fitch)	
	Red-humped caterpillar a.n.o		Schizura concinna (A. & S.)	
	Red-legged flea beetle a.n.o.		Derocrepis erythropus (Melsh.)	
	Red-medical come homes and		Agrilus ruficollis (F.)	
	Red-necked cane borer a.n.o			
	Red-necked flea beetle		Systema hudsonias (Forst.)	
	Red turnip beetle a.n.o		Entomoscolis adonidis (Pallas)	
	Rhinoceros beetle		Dynastes tityus (L.)	
	Rhododendron borer		Conopia rhododendri (Beutm.)	
	Rhododendron lacebug a.n.o		Stephanitis rhododendri Horv.	
	Physhoph comes I is a second control of			
	Rhubarb curculio a.n.o		Lixus concavus Say	
	Rice stalk borer a.n.o		Chilo plojadellus Zinck.	
	Rocky Mountain spotted fever tick		Dermacentor andersoni Stiles	
	Rose aphid a.n.o.		Macrosiphum rosae (L.)	
	Rose chafer a.n.o		Macrodactylus subspinosus (F.)	
	Rose curculio a.n.o		Rhynchites bicolor (F.)	
	THE STATE OF THE S			

D	Nodonota puncticollis Say
Rose leaf beetle a.n.o	The state of the s
Rose midge a.n.o.	Dasyneura rhodophaga (Coq.)
Rose sawfly a.n.o	Caliroa aethiops (F.)
Rosy apple aphid a.n.o	Anuraphis roseus (Baker)
Roundheaded apple tree borer a.n.o	Saperda candida F.
Rusty plum aphid a.n.o	Hysteroneura setariac (Thos.)
Saddleback caterpillar a.n.o	Sibine stimulea (Clem.)
Salmonfly	Taeniopteryx pacifica Banks
San Jose scale a.n.o	Aspidiotus perniciosus Comst.
Satin moth a.n.o	Stilpnotia salicis (L.)
Say's blister beetle a.n.o	Pomphopoea sayi (Lec.)
Say's stinkbug a.n.o	. Chlorochroa sayi Stal
Scallop-shell moth	Calocalpe undulata L.
Scotch pine lecanium	Toumeyella numismaticum P. & McD.
Scrowworm a.n.o	Cochliomyia americana C. & P.
Scurfy scale a.n.o	Chionaspis furfura (Fitch)
Seed-corn beetle a.n.o	Agonoderus locontei Chaud.
Seed-corn magget a.n.o	Hylemya cilicrura (Rond.)
Sheep botfly a.n.o	Oestris ovis L.
Sheep tick a.n.o	Melophagus ovinus (L.)
Short-nosed cattle louse a.n.o	
Shot-hole borer a.n.o	Haematopinus eurysternus Nitz.
Shotehore borer St. n. o.	Scolytus rugulosus (Ratz.)
Silver-spotted skipper	Epargyreus tityrus F. (Changed to
Cities and mall embid	Proteides clarus (Cram.))
Sitka spruce gall aphid	Adelges cooleyi (Gill)
Six-spotted grape beetle	Pelidnota punctata (L.)
Six-spotted leafhopper a.n.o	Macrosteles divisus (Uhl.)
Six-spotted mite a.n.o	Tetranychus sexmaculatus Riley
Small body hen louse	Monopon pallidum Nitz.
Smaller European elm bark beetle a.n.o	Scolytus multistriatus Marsham
Snowball aphid a.n.o	Aphis viburnicola Gill.
Soft scale a.n.o	Coccus hesperidum L.
Sorghum midge a.n.o	Contarinia sorghicola (Coq.)
Sorghum webworm a.n.o	Celama sorghiella (Riley)
Southern corn leaf beetle	Myochrous denticollis (Say)
Southern corn rootworm a.n.o	Diabrotica duodecimpunctata (F.)
Southern cornstalk borer a.n.o	Diatraea crambidoides (Grote)
Southern green stinkbug a.n.o	Nezara viridula (L.)
Southern mole cricket a.n.o	Scapteriscus acletus R. & H.
Spinach carrion beetle	Silpha bituberosa Lec.
Spinach leaf miner a.n.o	Pegomya hyoscyami (Panz.)
Spiraea aphid	Aphis spiraecola Patch
Spotted cucumber beetle a.n.o	Diabrotica duodecimpunctata (F.)
Spotted willow leaf beetle	Chrysomela lapponica (L.)
Spring cankerworm a.n.o	Paleacrita vernata (Peck)
Spruce budworm a.n.o	Cacoecia fumiforana (Clem.)
Spruce gall aphid	Pineus pinifoliae (Fitch)
Spruce mite	Paratetranychus uniunguis Jacobi
Spruce needle miner	Taniva albolineana Koarf.
Spruce red spider	Paratetranychus uniunguis Jacobi
Squash beetle a.n.o.	Epilachna borealis (F.)
Squash borer a.n.o	Melittia satyriniformis Hbn.

	· ·
Squash bug a.n.o	Anasa tristis (Deg.)
Stablefly a.n.o	Stomoxys calcitrans (L.)
Stalk borer ain.o.	Papaipema nebris nitela (Guen.)
Strawberry crown borer a.n.o	Tyloderma fragariae (Riley)
Strawborry crown moth a.n.o.	Conopia bibionipennis (Bdv.)
Strowberry fruitworm a.n.o	Cnephasia longana (Haw.)
Strawberry leaf-chafer	Diplotaxis frondicola Say
Strawberry leaf roller a.n.o	Ancylis comptana (Froel.)
Strawberry pamera	Pamera longulus Dall. (Changed to
6	Paromius longulus (Dall.))
Strawberry root aphid a.n.o	Aphis forbesi Weed
Strawberry root weevil a.n.o	Brachyrhinus ovetus (L.)
Strawberry weevil a.n.o	Anthonomus signatus Say
Striped cucumber beetle a.n.o	Diabrotica vittata (F.)
Sucking horse louse a.n.o	Haenatopinus asini (L.)
Sugar-beet root aphid a.n.o	Pemphigus betae Donne
Sugar-beet root maggot	Tetanops aldrichi Hendel
Sugar-beet wireworn a.n.o	Limonius californicus (Mann.)
Sugarcane boetle a.n.o	Euctheola rugiceps (Lec.)
Sugarcane borer a.n.o	Diatraea saccharalis (F.)
Sugarcane porer a.i.o.	Anacentrinus subnudus Buch.
Sugarcane rootstock weevil	
Sweetclover weavil	Rhodobaenus tredecimpunctatus (Ill.)
Sweetclover wegyll	Sitona cylindricollis Fahraeus
Sweetpotatolcaf beetle	Typophorus viridicyaneus (Crotch)
Sweetpotató weevil a.n.o	Cylas formicarius (F.)
Manual also distribute the second	Turner must make ablique to (Com)
Tarnished plant bug a.n.o	Lygus pratensis oblineatus (Say)
Tea scalé	Fiorinia theae Green
	Ornix geminatella Pack.
Terrapin scale a.n.o	Lecanium nigrofasciatum Perg.
Three-cornered alfalfa hopper a.n.o	Stictocephala festina (Say)
Three-lined fig borer	Ptychodes trilineatus (L.)
Thurberia weevil a.n.o	Anthonomus grandis thurberiae Pierce
Tissue paper bug	Thylodrias contractus Mots.
Tobacco budworm a.n.o	Heliothis virescens (F.)
Tobacco flea beetle a.n.o	Epitrix parvula (F.)
Tobacco moth a.n.o	Ephostia elutella (Hon.)
Tobacco thrips a.n.o	Franliniella fusca (Hinds)
Tomato pinworm a.n.o	Keiferia lycopersicella (Busck)
Tomato psyllid	Paratrioza cockerelli (Sulc)
Tropical rat mite a.n.o	Liponyssus bacoti (Hirst)
Tule beetle a.n.o	Agonum maculicolle (Dej.)
Tuliptree scale a.n.o	Toumeyella liriodendri (Gmel.)
- Turnip aphid a.n.o	Rhopalosiphum pseudobrassicae (Davis
Twig girdler a.n.o	Oncideres cingulatus (Say)
Twig pruner a.n.o	Hypermallus villosus (F.)
Ugly-nest caterpillar a.n.o	Cacoecia cerasivorana (Fitch)
Vegetable weevil a.n.o	Listroderes obliquus Klug
Velvetbean caterpillar a.n.o	Anticarsia genmatilis (Hbn.)
Vetch bruchid a.n.o	Bruchus brachialis Fahraeus
Viceroy a.n.o	Basilarchia archippus (Cram.)
A TOOLON COSTS OF THE PROPERTY	POSTISHEDITS SHOHTDER (ALSHI)

Walnut scale a.n.o.— West Indianasugarcane fulgorid— Wharf borer— Wheat brown mite— Wheat jointworm a.n.o.— Wheat midge a.n.o.— Wheat stem magget a.n.o.— Wheat stem sawfly a.n.o.— Wheat straw worm a.n.o.— Whoat white grub— White-fringed beetle a.n.o.— White-lined sphinx a.n.o.— White peach scale a.n.o.— White-pine weevil a.n.o.— Willow-grove aphid— Willow grove plant louse— Weolly alder aphid a.n.o.— Woolly clm aphid a.n.o.— Woolly clm aphid a.n.o.— Woolly larch aphid—— Woolly larch aphid—— Woolly larch aphid—— Woolly larch aphid——— Woolly larch aphid———— Woolly larch aphid————— Woolly larch aphid————————————————————————————————————	Datana integerrina G. & R. Aspidiotus juglans-regiae Comst. Saccharosydne saccharivora Westw. Nacerda melanura (L.) Tetranychina tritici (Ewing) Harmolita tritici (Fitch) Thecodiplosis mosellana Gehin Meronyza americana Fitch Cephus cinctus Nort. Harmolita grandis (Riley) Phyllophaga lanceolata (Say) Naupactus leucoloma Boh. (Changed to Pantomorus leucoloma (Boh.)) Sphinx lineata F. Aulacaspis pentagona (Targ.) Pissodes strobi (Peck) Melanoxantherium smithiae (Monell) Prociphilus tessellatus (Fitch) Eriosoma lanigerum (Hausm.) Eriosoma americanum (Riley) Chermes strobilobius Kltb.
Yellow-necked caterpillar a.n.oYellow scale	Datana ministra (Drury) Chrysomphalus citrinus (Coq.) Prodenia ornithogalli Guen. Sipha flava Forbes

are the second of the second o the contract of the contract o and the state of t the second secon and the second s and a control of the second of th and the second of the control of the second . the second of th the contract of the contract o

and the second of the second o and the second second property of the second and the same of and the second of the second o make the second of the second were the second consistency of the second co the state of the s

and the second of the second o

and the second of the second o american and a survey of the survey of the

transfer to the second of the The second of th the state of the s





in, vol.19,1939.

